Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

DL-APB-LED-30W

Permanent Mount LED Deck Light with Adjustable Spindle and Joint - 30 Watt LED - 600'L Spot Beam

Product ID: 64205

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

The Permanent Mount LED Deck Light is equipped with a 360° spindle that allows the light to make complete rotations while being permanently mounted on a surface. Above the spindle is a joint that allows the fixture to adjust to various up or down positions while the operator has control.

The Permanent Mount Deck Light comes standard 12v DC and has an amp draw of approximately 2.5A. The decklight is designed to reach ranges upwards of 60`.

The decklight is equipped with a PAR46 LED bulb with 30 watts

The Permanent mount LED deck light can be mounted on any flat surface using only 4 small screws. Installation should be relatively simple and fast. For vehicles, depending on where the deck light is mounted, 4 additional bolts and washers will be needed. However, on decks, patios, roofs, etc. the 4 screws should suffice. When mounted, the screws are then drilled into their predesignated holes located on the deck light base to hold the fixture to the flat surface.

Dimensions:
Base Diameter: 3.25 inches
Height: 10.25 inches
Width: 6 Inches

Length: 6.5 Inches

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364







Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

DL-APB-LED-30W

Product ID: 64205

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

DL-APB-LED-30W-Beam Config

Example: DL-APB-LED-30W-SP

Beam Config	
SPOT	-SP
FLOOD	-FL

Links (Click on the below items to view):

- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **Video1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**