Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EPL-90ELB

Explosion Proof Conduit Elbow - Class I, II, III - 90 Degrees - Iron

Product ID: 64362

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EPL-90ELB

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-90ELB Explosion Proof Conduit Elbow

Listing: United States, Canada
Dimensions: 2.62"D x 1.46"W x 1.84"H
Weight: -
Bend: 90°
Materials: Feraloy Iron Alloy/Ductile Iron
Finish: Electrogalvanized Aluminum Acrylic Painted
Mount: Conduit
Configurations: Male-Male, Male-Female or Female-Female
Hub Qty: (2)
Hub Sizes: 1/2" and 3/4"
Color: Metallic

Ratings

Class I, Divisions 1 & 2
Class II, Divisions 1 & 2
Class III
Dustproof

Special Orders - Special Requirements

Contact us for special requirements
Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The Larson Electronics EPL-90ELB Explosion Proof Conduit Elbow ensures reliable conduit connections in flammable, Class-rated environments. This 90-degree elbow is made of iron and finished in electrogalvanized aluminum acrylic paint.

The EPL-90ELB facilitates tight conduit connections in Class I, Divisions 1 & 2; Class II, Divisions 1 & 2 and Class III rated combustible sites. This conduit elbow features a 90-degree bend.

Constructed of feraloy iron alloy/ductile iron, the dustproof accessory is protected by an electrogalvanized aluminum acrylic painted finish for durability. This unit is offered in the following configurations: male-male, male-female or female-female.

Hubs: The EPL-90ELB contains two hubs and is offered in 1/2" or 3/4" sizes.

Mounting: This explosion proof conduit elbow can be secured along conduit systems and connections.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EPL-90ELB

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EPL-90ELB

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EPL-90ELB

Product ID: 64362

Export Control Classification Number (ECCN): EAR99

Options:

EPL-90ELB-Configuration-Size
Example: EPL-90ELB-MM-34

Configuration	
MALE-MALE	-MM
MALE-FEMALE	-MF
FEMALE-FEMALE	-FF

Size	
3/4	-34
1/2	-12

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Links (Click on the below items to view):

- **Dimensional Drawing 2D**(https://www.larsonelectronics.com/images/product/DimensionalDrawing/64362.PDF)
- **Operations Manual**(https://www.larsonelectronics.com/images/product/Manual/64362.PDF)
- **STEP File (3D CAD Model)**(https://www.larsonelectronics.com/images/product/Step/64362.ZIP)
- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/64362.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/64362.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/64362.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)