Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

RFM-19OS

Roof Mount Light RFM-19OS with 17.5 inches of shaft from center of lamp to center of handle

Product ID: 68986

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Roof Mount Spotlight. This particular halogen spotlight projects a beam approx. 700` in length by 70` in width. Rotation and up/down directional control with handle at the end of the post inside the vehicle.
6" dia. Rooflight-"shorty"
100 watt, 245,000 candlepower, 100 hours lamp life, 3/4" roof clearance (measured from top of roof surface to bottom of headliner), chrome plated, with `O` ring, leak-proof design, comes complete with a universal mounting bracket, template, and installation instructions. 12V.
100 watt, H3 Type Halogen bulb.
Roof mount light comes complete with `O` ring for a leak-proof design, universal mounting bracket, installation template, and installation instructions.
Chrome or black, UV resistant polycarbonate lamp housing. Chrome version has chrome plating.
12 volt spotlight, 100 Watt H3 type halogen bulb with aluminum reflector and impact resistant polycarbonate lens
Twisting the handle moves lamp head up and down, while turning rotates the light
On/off switch located just above the rubberized handle for easy access with the thumb

Roof Mount Light in Action

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

RFM-19OS

Product ID: 68986

Harmonized System (HS) Code: 8512.20.2080
Export Control Classification Number (ECCN): EAR99

Options:

RFM-19OS-Finish

Example: RFM-19OSB

Finish	
BLACK	B
CHROME	C

Links (Click on the below items to view):

- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **HigResPic9**
- **HigResPic10**
- **Video1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**