

BLWP-60LED

60 Watt High Intensity LED Blasting Light w/ 400lb. Grip Magnetic Base - 120-277 Volts AC

Product ID: 68987

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

BLWP-60LED LED Wall Pack & Blasting Light

Lamp Type: LED

Dimensions: W-8 1/2" D-3 1/8" H-6 3/8"

Weight: 12 lbs

Watts: 60

Voltage: 110-277 Volts AC

Lumens: 5400

Luminous Efficacy: 90 Lm/W

LED Life Expectancy: 50,000+ hours

Color Temp: 5600K, 4000K, or 3000K

Color Rendering Index: 80

Beam Angle: 60° Vertical, 75° Horizontal

Lighting Configuration: Flood Beam

Power Efficiency: >95%

Power Factor: 0.992

Amperage: 0.5A @ 120V, 0.25 @ 240V, 0.22 @ 277V

Ambient Temp Range: -25°C to +60°

Housing Material: Cast Aluminum

Lens Material: Polycarbonate

Mounting: (2) 200lb. Grip Magnets w/ Adjustable Bracket

Wiring: 12' 16/3 SOOW cord w/ straight blade plug

Cord Cap Options: 5-15 Straight, 6-15 Straight, L5-15 Twist, L6-15 Twist. UK BS1363, Intl. Schuko, Pigtail

Ratings/Approvals:

Waterproof/Vapor Proof

Operates on Standard 110-277V AC

Impact/Vibration Resistant Construction

50,000 Hour LED Life

ETL Approved for Wet Locations

IP68 Waterproof

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Frequently Asked Questions (FAQ)









BLWP-60LED

Product ID: 68987

Warranty: 36 Months

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

BLWP-60LED-Color Temp-Cord Cap

Example: BLWP-60LED-56K-5.15

Color Temp	
5600K	-56K
4000K	-40K
3000K	-30K

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
UK BS1363	-BS1363
INTL SCHUKO	-Schuko
PIGTAIL	-Pigtail

Links (Click on the below items to view):

- [Operations Manual](#)
- [SpecSheetRussian](#)
- [SpecSheetSpanish](#)
- [Wiring Diagram \(Online\)](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [Video1](#)
- [Video2](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)