

HBLP-1MLED-119

Ceiling/Flat Surface Mount Junction Box - HBLP and EPL-HB Series Explosion Proof 150 Watt High Bay

Product ID: 69953

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.


3/4" junction box with thru-holes for mounting to any flat surface. This junction box features four side hubs and one top hub.

This mount is used for mounting HBLP-1MLED and EPL-HB series fixtures to ceilings, walls, or other flat surface. A 3/4 nipple between a standard pendant mount and this box turns any pendant mount explosion proof light into a ceiling mount fixture.



Frequently Asked Questions (FAQ)









Harmonized System (HS) Code: 9405.41.84.10
Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)