

LEDWP-400-2C

LED Wall Pack Light - 400W Metal Halide Equivalent - 12 LEDs - 2ft Cord High Output

Product ID: 70071

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

LEDWP-400-2C Wall Pack Light

Lamp Type: LED

Dimensions: W-8 1/2" D-3 1/8" H-6 3/8"

Weight: 4.5 Lbs.

Watts: 40

Lumens: 1462

Voltage: 110-277 Volts AC

Lighting Configuration: Flood

Mounting: Adjustable Trunnion

Wiring: 2 foot cable with 5-15 straight plug

Amps: .45

LED Light Color: Cool White - 7638K

LED Life Expectancy: 50,000 hours

Materials: Aluminum Housing, Polycarbonate Lens

Color Rendering Index: 79

LEDWP-400 Features

Waterproof/Vapor Proof

Operates on Standard 110-277 VAC

Impact/Vibration Resistant Construction

50,000 Hour LED Life

ETL Approved for Wet Locations

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

3 year warranty replacement on this LED light. After 30 days, the customer ships the failed LED light and/or LED bulb to Larson Electronics at their expense. If the failure is a manufacturer defect, we will ship a new replacement to the customer. If failure occurs within 30 days of receipt, Larson Electronics will provide a return label via email to the customer. When the failed light is returned, Larson Electronics will ship a new replacement.

The LEDWP-400-2C LED Wall Pack Light offers high light output from a compact form factor and is designed to provide a more durable and long lived alternative to halogen and metal halide units. This 40 watt LED produces illumination comparable to a 400 watt metal halide unit without the high heat, fragile construction, or high energy costs of incandescent lighting.


The LEDWP-400-2C LED wall pack light from Larson Electronics produces a long flood beam of light while drawing only 40 watts @.45 amps at 120 VAC. The light assembly consists of twelve LEDs paired with high purity specular optics to produce a light output comparable to that of a 400 watt metal halide. This LED wall pack is designed to withstand demanding conditions and is waterproof, vapor proof, and built to resist the damaging effects of an outdoor environment.

[Click Photo to Enlarge](#)


[Click Photo to Enlarge](#)

[Click Photo to Enlarge](#)

The LEDWP-400-2C consists of twelve LEDs housed within a waterproof aluminum housing that is powder coated for added durability and resistance to corrosion. The housing incorporates integral cooling fins for efficient heat dissipation and increased LED longevity. The LED lamp assembly is protected by a shatterproof polycarbonate lens which is sealed to the housing with a waterproof seal. A 1/2" waterproof connector provides a secure and sealed power connection and rounds out this unit's weather resistant construction.



Dark warehouse, illuminated by 100W incandescent bulb.



Same warehouse being illuminated by the LEDWP-400.

The LEDWP-400-2C LED wall pack light from Larson Electronics produces a light beam that is longer and narrower than a standard Rab Floodzilla 250W Metal Halide (see comparison chart below). The beam will illuminate an area nearly the same distance as a standard 250W metal halide flood light, but is 30% narrower than the metal halide flood.

Frequently Asked Questions (FAQ)









LEDWP-400-2C

Product ID: 70071

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)