Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

FTL-5-LED-25

28 Watt LED Drop Light/Task Light/Drop Light with Hanging Hooks - 25' Cord - 5' Tube -LED Tent Light

Product ID: 71044

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

FTL-5-LED-25 LED Task Light w/ 25ft Cord
Lamp Type: T8 LED Tube
Dimensions: 48"L x 3.6"Dia
Weight: 6 lbs
Voltage: 120-277 Volts AC, 50/60Hz or 11-25V AC/DC
Total Watts: 18W
Total Lumens: 2,250
Luminous Efficacy: 125 Lm/W
Lamp Life: 50,000+ Hours
Color Temp: 5600K
Color Rendering Index: >80
Beam Angle: 150°
Power Efficiency: 90%
Power Factor: >0.95
Ambient Temperature Rating: -40°C to +60°C
Mounting: C Hooks / Hand Held
Wiring: 25` 16/2 SOOW w/ Cord Cap
Cord Cap: 5-15, 6-15, L5-15, L6-15, BS1363, Schuko, or Pigtail

Ratings
Wet Area Approved
Food Safe
50,000+ Hour Lamp Life
High Output LED Lamp
Internal LED Driver - No Ballasts
Fluorescent Style LED Tube
Ships w/ Hanging Hooks
Custom Cord Cap Options Available
25` SOOW Cable w/ Industrial Plug
NRTL Certified to UL 1598A Maine

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364









Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

FTL-5-LED-25

Product ID: 71044

Harmonized System (HS) Code: 9405.41.84.10
Export Control Classification Number (ECCN): EAR99

Options:

FTL-5-LED-25-Cord Cap-Voltage

Example: FTL-5-LED-25-5.15-120-277

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
UK BS1363	-BS1363
INTL SCHUKO	-Schuko
PIGTAIL	-Pigtail

Voltage	
120-277V AC	-120-277
11-25V AC/DC	-11-25

Links (Click on the below items to view):

- **Dimensional Drawing 2D**
- **Operations Manual**
- **SpecSheetSpanish**
- **STEP File (3D CAD Model)**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**