

EPEXC-SOOW-200-30A

200' Explosion Proof SOOW Cord - 30 Amp Continuous Service -

Product ID: 71255

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPEXC-SOOW-200-30A Explosion Proof SOOW Cord

Amp Rating: 30 amp Continuous Service
Dimensions: Cord length-200 Feet

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

**Larson Electronics 30 Amp, Continuous Service, 200' Explosion Proof SOOW Cord
Rated for use with Class 1 Division 1- Groups C & D and Class 2 Division 1 Groups E, F,
& G equipment.**

The Larson Electronics EPEXC-SOOW-200-30A Explosion Proof cord allows operators to safely extend the range of their explosion proof light or equipment cords beyond the boundaries of the hazardous work area. These units are constructed of 200 feet of SOOW explosion proof cord rated at 30 amps of continuous service. The cord is chemical and abrasion resistant, and allows operators to attach to their equipment and extend the range of their equipment.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Explosion Proof Light Fixtures, Grinders, Wet areas or Locations Where Combustible Dust is Present.



Frequently Asked Questions (FAQ)

EPEXC-SOOW-200-30A

Product ID: 71255

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [CE Certificate](#)
- [MSDS \(Material Safety Data Sheet\)](#)
- [RoHS Certificate \(Restriction of Hazardous Substances\)](#)
- [SpecSheetSpanish](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)