Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WAL-DL-60LED-M

14" LED Task Light w/ Magnetic Hook - 6' Cord - 120V AC - Work Area Lighting

Product ID: 71607

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WAL-DL-60LED-M
Lamp Type: High Output LED
Dimensions: L-14.3" **Tube Diameter**- 1.8"
LEDs: 60
Voltage: 125 Volts AC 60-Hz
Kelvin: 5000
Lamp Life Expectancy: 50,000+ Hours
Weight: 16 oz
Cord: 25 foot

Ratings
50,000 hour lamp life

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

The Larson Electronics WAL-DL-60LED-m Portable LED drop light is ideal in practically any environment including but not limited to: general maintenance, construction, aircraft interior, emergency shelter, ship yards, etc. These lights are also suitable for civilian and military shelter units. The LED assembly in this task light offer much longer lamp life, cooler operation, higher durability, and better light quality than incandescent drop lights.
Constructed to be completely weather and impact resistant, this LED drop light sacrifices no light output or quality to obtain these features. The Larson Electronics WAL-DL-60LED-M is shock resistant, making it durable enough to withstand drops, falls, and rough handling. Equipped with 50,000 hour LED lamps, this LED drop light is designed to operate at cooler operating temperatures than conventional incandescent and fluorescent lights to reduce the chance of fire and burns. This LED trouble light features 60 LEDs to produce a 120 lumen flood

beam, and an embedded on/off rocker switch located in the handle.

This drop light is equipped with a magnetic hook for temporary mounting. This hook can be attached to the magnet located at the tip of the light, or the magnet located at the balance point on the side of the light. This unique magnetic hook mount lets the operator handle this task light with ease and comfort; the engineered polymer handle also adds durability to the drop light. The non-metallic construction eliminates the risk of energized external parts should the unit come into contact with exposed electrical components. The WAL-DL-60LED-M is equipped with 6 foot of cable, making this drop light versatile and provides the operator with plenty of length for moving the light around the workspace.

LED Lamp Benefits

1. 50,000+ hour lifespan.
2. Can SAVE 50% or more on energy.
3. 100% recyclable.
4. No toxins-lead, mercury.
5. No UV light, infrared radiation or CO2 emissions.
6. Bright, even light maintains consistent color over time.
7. Instant on/off – No flickering, delays or buzzing.
8. Very good color rendering.
9. Vibration/impact resistant.
10. Significantly cooler operation.
11. Less frequent outages, higher output improves workplace safety.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)







WAL-DL-60LED-M

Product ID: 71607

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**