Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXP-LED-3C

Explosion Proof LED Flashlight - 3 C Batteries - Class 1 Division 1 - 336 Hour Run Time

Product ID: 71613

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXP-LED-3C Explosion Proof Flashlight
UL Listing: United States
Lamp: C4 LED
Dimensions: 8.55" x 2"
Battery: Alkaline
Max Lumens: 85
Output Runtime: 366 Hours
Light Color: White
Mounting: Handheld Flashlight

U.L. Ratings
Class 1, Division 1, Groups C & D
Class 1, Division 2, Groups A,B,C,D
Class 2, Division 1, Groups F & G

Special Orders - Special Requirements
Contact us for special requirements

Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The explosion proof LED flashlight is a highly versatile and effective lighting solution for operators who require a dependable source of powerful handheld illumination suitable for use in a variety of hazardous locations. This Class 1 Division 1 LED flashlight has up to a 336 hour runtime on a single set of three C-cell batteries.

This explosion proof LED flashlight delivers high LED light output combined with rugged construction and high run time. This flashlight is rated Class 1 Division 1 and and produces 85 lumens of illumination using ten high output LED rated at 100,000 hours of operational life. This LED flashlight has one of the lowest

operating costs in the industry with a 336 hour run time on a single set of batteries, and provides an exceptional value for operators who need a portable explosion proof flashlight that is ready for use any time the need arises.
This LED flashlight features ten ultra-bright white LEDs to product a high illumination beam. An ergonomic tactical design adds great versatility and durability, allowing this light to be used in industrial or professional applications with equal effectiveness. A spring loaded clip located on the side of the flashlight allows for easy attachment to belts, and an included wrist lanyard for protection against accidental dropping. Constructed of highly durable and nearly indesctructable polymer, this unit is watertight and able to withstand the rigors of aggressive and heavy duty use and applications. Power for this light is provided by 3 C-cell alkaline batteries which give this unit a runtime of 336 hours. The high intensity LED in this light produces 85 lumens, almost 3 times that of halogen incandescent D cell flashlights, and has a lifetime of 100,000 hours, compared to the 50 hour average for an incandescent flashlight bulb.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)




Larson Electronics
1-800-369-6671

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364




STREAMLIGHT INC. MODEL 90 FLASHLIGHT FOR USE IN HAZARDOUS LOCATIONS

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXP-LED-3C

Product ID: 71613

Harmonized System (HS) Code: 9405.41.84.10
Export Control Classification Number (ECCN): EAR99

Options:

EXP-LED-3C-Finish

Example: EXP-LED-3C-B

Finish	
BLACK	-B
SAFETY YELLOW	-SY

Links (Click on the below items to view):

- **Operations Manual**
- **SpecSheetSpanish**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**