

EPL-FL1524-LED-12.3SR-20-1523

Explosion Proof LED Aluminum Drop Light - C1D1 - 20' 12/3 SOOW w/ Kellum Relief - EXP Plug

Product ID: 73063

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-FL1524-LED-12.3SR-20-1523 Work Light

Lamp Type: LED Tube Lamp

Dimensions:L-27" Dia-3.25"

Lamp Lengths: 2 Foot

Weight: 14.5 lbs

Voltage: 120-277V 50/60Hz or12/24 Volts AC/DC

Total Watts: 15 watts

Total Lumens: 1,800

Luminous Efficacy: 120 Lm/W

Mounting: Rubber Coated Aluminum Hook + Strap

Wiring: 20` 12/3 SOOW cable w/ Kellum strain relief

Cord Cap: 5-15 Straight Blade Plug, 5-20 Straight Blade Plug,
6-20 Straight Blade Plug

Ratings/Approvals

Class 1, Division 1 & 2 for Group D

Class II, Division 1 & 2 Groups E, F, G

Class III, Division 1 & 2

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com



Frequently Asked Questions (FAQ)









EPL-FL1524-LED-12.3SR-20-1523

Product ID: 73063

Warranty: 36 Months

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

EPL-FL1524-LED-12.3SR-20-1523-Voltage-Cord Cap

Example: EPL-FL1524-LED-12.3SR-20-1523-1227-5-15

Voltage	
120-277V AC	-1227
12-24V AC/DC	-1224

Cord Cap	
5-15 STRAIGHT	-5-15
5-20 STRAIGHT	-5-20
6-20 STRAIGHT	-6-20

Links (Click on the below items to view):

- [SpecSheetArabic](#)
- [SpecSheetFrench](#)
- [SpecSheetSpanish](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [Video1](#)
- [Video2](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)