

FLB-A

Beacon - LED Strobing Beacon for Fork Lift - Amber

Product ID: 815

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

FLB-A LED LED Strobing Beacon

Lamp Type: LED

Dimensions: 3.5"-Diameter 3.9" Height

Lamp Weight: 1 Lbs

Voltage: 12-48 VDC

Wiring: Direct to Power Source

Lighting Configuration: Strobing Flash

Mounting: Permanent Mount

Features

Meets SAE J1318 class III

Permanent Mount

12-48 Volts DC

Muti-Strobe Pattern Options

Waterproof

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics FLB-A LED Strobing Beacon works on 12 to 48 volts DC offers a choice of strobe patterns and is designed specifically for use on forklifts.

This compact, SAE J845 Class III compliant LED beacon contains an LED lamp assembly that produces 360° of brilliant light without the dark spots or unevenness of traditional incandescent beacon lights. This LED beacon is amber color only and includes a permanent mounting system via through holes and self tapping screws. This permanent mounting system provides maximum mounting security and reliable performance. The small size and low power requirements coupled with the

high durability of this unit make it ideal for use on forklifts where a dependable strobe solution is needed.

This permanent mount LED beacon has triple, quad, double and fast single flash modes that flash at approximately 109 flashes per minute. This waterproof and shock resistant beacon has a black cast aluminum base that mounts with 3 self tapping screws and includes a gasket for positive sealing to the mounting surface. This unit contains a fully potted circuit board topped off with an LED assembly protected by a polycarbonate lens cover that is designed to efficiently distribute the flash over a 360 degree radius.

The color of this unit is produced by color specific LEDs rather than a colored lens. This increases the effectiveness and reliability of the unit as there is no chance of lens discoloration and no loss of output due to lens dissipation. This LED beacon draws less than 1/4 amps on 12 volts and can be operated with 12 to 48 volt DC current. Power and ground leads protrude from the base of this LED beacon to power the unit. Operator provides 16 AWG wire to power source (battery, fuse block, etc.)

This unit generates a superior signal in an extremely small, durable package.

Frequently Asked Questions (FAQ)

FLB-A

Product ID: 815

Harmonized System (HS) Code: 8512.20.2080

Export Control Classification Number (ECCN): EAR99

Options:

FLB-A-Color

Example: FLB-A-AMB

Color	
AMBER	-AMB
RED	-RED

Links (Click on the below items to view):

- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)