

SL-5LED-R

LED Safety Light with bar Mount and Elastic Strap Mounting Options - RED

Product ID: 853

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Flashing LED safety light with RED LENS. Uses 2 AA batteries. Low amp draw 5 LED array runs for more than 200 hours on a single set of batteries. Units is 3 inches long and 1.5 inches wide inches wide.

The LED safety light comes with two mounting options. The first option is a bar mount that cinches around bike handle bars, bike seat post, ATV bars, etc. The bar mount attaches the light to any 1 inch diameter bar, pipe, etc. The second mounting option is an elastic strap that can be used as an arm band, bag strap, etc.

This flashing LED safety light is ideal for backpacking, tenting, biking, skiing, snowmobiling, boating, hiking, camping, camping, etc. This is also ideal for runners, children, etc. using the roadways. In short, this is a personal LED strobe light. This unit is ideal any time you are walking or riding a bike on a busy street (day or night). This personal LED strobe light is also helpful to boaters and hikers as a safety rescue item.

Durable unit will survive vibration and abuse, as the LEDs do not break and the unit's design is simple and durable.

This unit has red lenses.

- 6 functions including a steady light, 2 rates of flashing lights or 3 kinds of running lights
- LED technology ensures long life, while providing visibility to 2500 feet (800 meters)

- low amperage draw increases battery life to more than 200 hours
- requires 2 AA batteries
- 3 inch long by 1.5 inch wide amber lenses encapsulate ultra-bright LED strobe light
- battery compartment with easy access door
- heavy duty construction
- Unit weighs 1 ounce



Frequently Asked Questions (FAQ)

SL-5LED-R

Product ID: 853

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)