

HML-5M-RT

HML-5M-RT 24 Volt Spotlight Magnetic Base-battery ring terminal

Product ID: 95

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HML-5M-RT Military Spotlight

Lamp Type: 70 Watt Incandescent

Dimensions: 3.25" Light Head, 7" Handle

Lamp Weight: 1.5 lbs

Voltage: 24

Wiring: 21' Cord with 3/8" ring terminals

Lighting Configuration: Spot

Mounting: 100 lb Magnetic Mount

Features

100% Portable

Waterproof / Shock Resistant

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics HML-5M-RT is a high powered 10 million candle power military spotlight that operates on 24V. It is 3.25 inches in diameter and has a 100 pound grip magnetic base. It has a seven inch steel powder coated handle with a solid polypropylene handle. A tension hinge enables the lamp housing to move 140 degrees.

This hand operated magnetic spotlight is effective for semi-permanent mounting and handheld use. The 100 pound grip magnetic base holds the light in place on protective barriers and gun turrets on the military HUMVEE, even under the most aggressive road and off-road conditions.

The HML-5M-RT has a 21 foot cord with a 3/8 inch ring terminal for direct battery connection - Connects via 2-pin molded SAE connector. A simple on/off toggle switch is conveniently located within reach of the solid polypropylene handle. This light is also water, sand and UV resistant.

Note On Voltage: Most vehicles are 12 Volts DC. 24 Volts **DOES NOT** mean more power. Running a 24V light from a 12V power source will result in a very dim or non-functioning light, and may cause internal damage to the light as well. For common vehicle use, please order 12V.

Frequently Asked Questions (FAQ)









HML-5M-RT

Product ID: 95

Harmonized System (HS) Code: 8512.20.2080

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Dimensional Drawing 2D](#)
- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)