Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EPL-TP-2X70-SP1779

Aluminum Transportation Crate for EPL-QP-2X70 Series Explosion Proof Light Towers

Product ID: 105343



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-TP-2X70-SP1779 Shipping Crate for 2X70 Explosion Proof Light Towers
Materials: Non-Sparking Aluminum
Finish: Powder Coated - Gloss Blue
Dimensions: 99.5"-L x 49.5"-W x 27.5"-H
Will Hold: Up to two 2X70 Series Light Towers
Features: Hinged Top Lid, Pickeye

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-214-616-6180
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA


EPL-TP-2X70-SP1779 Aluminum Transportation Crate for EPL-QP-2X70 Series Explosion Proof Light Towers


PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO CRATE


The EPL-TP-2X70-SP1779 heavy duty aluminum transport crate allows operators to safely transport up to two light towers within this shipping crate without damage to the explosion proof light towers. This shipping crate is constructed of 2" aluminum tubing with a 1/8" thick outer wall to protect the internal contents from external damage and being exposed to the elements. The crate measures 99.5" in length, 49.5" in width, and 27.5" in height. For aid in transportation, this unit features a heavy duty hinged top door, and a center located pick eye for crane loading. The aluminum crate is powder coated to add to the durability and corrosion resistance.


The EPL-TP-2X70-SP1779 can hold up to two light towers per crate. Compatible towers include the Larson Electronics EPL-C-2X70, EPL-TP-2X70-100), and EPL-TP-2X70-220V-100 series explosion proof light towers.

Please note: Light tower sold separately. This is for the crate assembly only.









Larson Electronics


TITLE:

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LARSON ELECTRONICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LARSON ELECTRONICS LLC IS PROHIBITED.

		NAME
DIMENSIONS ARE IN INCHES	DRAWN	CHRIS THAUER
MATERIAL	CHECKED	JEREMY BLANKENSHIP
DO NOT SCALE DRAWING		

SIZE	DWG. NO.	REV
A		
SCALE: 1:30		SHEET 1 OF 2

5 4 3 2 1



Larson Electronics

TITLE:

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LARSON ELECTRONICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LARSON ELECTRONICS LLC IS PROHIBITED.

		NAME
DIMENSIONS ARE IN INCHES	DRAWN	CHRIS THAUER
MATERIAL	CHECKED	JEREMY BLANKENSHIP
DO NOT SCALE DRAWING		

SIZE	DWG. NO.	REV
A		
SCALE: 1:20		SHEET 2 OF 2

5 4 3 2 1









Frequently Asked Questions (FAQ)