

HID-35-RC-012

Wired Remote Control for the HID-35-RC Spotlight

Product ID: 105815



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Wired Remote Control for the HID-35-RC Spotlight
Wire harness not included





Larson Electronics
1-800-369-6671
Sales@LarsonElectronics.com





1. CONNECT FEMALE 3 LEAD CABLE
END TO LAMP.
2. CONNECT MALE END TO CONTROLLER.
DO NOT TOUCH TERMINAL PINS

3. CONNECT PROVIDED POWER WIRE LEAD
TO POWER SOURCE:

- + RED TO POSITIVE
- BLACK TO GROUND

4. INSERT 2 WIRE LEAD CONNECTOR
AT BOTTOM OF CONTROLLER.



Frequently Asked Questions (FAQ)