Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WAT-20x8-TNDM-DLY-72K-EB

20ft Tandem Axle Duly Trailer - 20' x 8.35' Trailer Bed - 7200lb Capacity

Product ID: 105821



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WAT-20x8-TNDM-DLY-72K-EB Mobile Tower
Bed Dimensions: 20` x 8.35`
Axles: Tandem, Dully
Suspension Type: Leaf Spring
Weight Rating: 7,200 lbs
Mounting: Towable Trailer

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com


Made in the USA


The WAT-20x8-TNDM-DLY-72K-EB tandem axle dully trailer from Larson Electronics is a towable 20` flat bed trailer.


The WAT-20x8-TNDM-DLY-72K-EB is a tandem axle dully trailer rated for 7,200 lbs capacity and is equipped with electric brakes and 16" steel wheels. This heavy duty industrial trailer is ideal for hauling construction, mining, industrial equipment.


Trailer: The trailer sits on an eight wheel, dully tandem axle suspension and is constructed of box steel tubing. The axles and leaf springs are rated for 7,200 lbs and equipped with P235/80R16 tubeless tires and wheels. The rear axle is equipped with electric brakes. The trailer features an adjustable ball hitch that provides secure hookup to tow vehicles. A single 7,000 lbs rated tongue jack provides a stable connect-disconnect platform as well as additional stability during tower deployment. Standard heavy duty safety chains are included. The trailer is finished in industrial grade Dupont™ paint for protection against rust and


corrosion and provides an attractive finish. The trailer is equipped with stop/tail/turn lights, side markers, and license plate light for meet with FMVSS and DOT regulations.











DETAIL B
SCALE 1 : 20

Larson Electronics

TITLE:

WAT-20x8-TNDM-DLY-EB


PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LARSON ELECTRONICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LARSON ELECTRONICS LLC IS PROHIBITED.

		NAME
DIMENSIONS ARE IN INCHES	DRAWN	JOSH DREDLA
MATERIAL	CHECKED	JEREMY BLANKENSHIP
DO NOT SCALE DRAWING		


SIZE	DWG. NO.	REV
A		

SCALE: 1:100 SHEET 1 OF 1

5 4 3 2 1







Frequently Asked Questions (FAQ)