

EPF-HSPF-36-1.5HP-100

36" Explosion Proof High Velocity Fan - 14850 CFM - 1-1/2 HP - Class I Group D; Class II Groups F&G

Product ID: 146330



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPF-HSPF-36-1.5HP-100 - 36" Explosion Proof High Velocity Fan - 14850 CFM

Type: Explosion Proof Industrial Fan
Propeller Dimensions: 36" Diameter
Propeller Material: Non-Sparking Cast Aluminum
Weight: 415 lbs
Voltage: 115/230V 60 Hz
Motor: 1.5 HP Fully Enclosed Explosion Proof
Rotations Per Minute (RPM): 1,725
Peak CFM: 14,850
Decibels @ 10': 88
Mounting: Portable or Stationary Mount
Wiring: 100' 12/3 SOOW Cable
Cord Cap: 5-15P, 5-20P, 6-20P - Explosion Proof

Quick Summary

Class I, Divisions 1 & 2, Group D
Class II, Divisions 1 & 2, Group F & G

Special Orders- Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-214-616-6180
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics explosion proof fan is a high pressure, high volume unit that can be used to support active ventilation in hazardous work locations. This robust industrial fan is capable of circulating air at a rate of 14,850 cubic feet per minute (CFM). When it comes to explosion proof ratings, the machine may be used in facilities that handle Class I, Group D combustible substances, such as acetone, butane, gasoline and methanol; as well as Class II, Group F & G ignitable compounds, including coal, charcoal, flour, grain and wood.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO THIS PRODUCT

Features: This hazardous area unit features a non-sparking cast aluminum propeller with a 36-inch diameter. It offers compatability with 115/230V 60 Hz voltages. Under the hood, the machine is powered by a 1.5 HP, fully enclosed explosion proof motor. This allows the blade to rotate up to 1,725 times per minute (RPM) at a rate of 14,850 CFM. During operation, the unit emits 88 decibels from a distance of 10 feet, which is equivalent to the sound of busy city traffic.

[Click Photos to Enlarge](#)



5-15 Straight Blade Plug

5-20 Straight Blade Plug

6-20 Straight Blade Plug

The single phase explosion proof fan supports the following cord cap options: 5-15P, 5-20P and 6-20P. This unit weighs approximately 415 pounds and is compatible with portable and stationary mounting preferences. The high stand model features a 360-degree tilt, which offers superior flexibility during setup. This fan comes with a 100-foot 12/3 SOOW cable, making it suitable for use in demanding indoor and outdoor industrial environments due to its resistance to oil, abrasion and moisture.

Applications: Class I, Group D and Class II, Group F & G hazardous areas that require ventilation, including (but not limited to) the following: clean rooms, marijuana extraction rooms, laboratory hoods, oil refineries, grain mills, chemical plants, welding shops, chemical storage areas and battery changing areas.


At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Made in USA Quality

1. Fully enclosed explosion proof 1.5 HP motor.
2. Non-sparking cast aluminum 36" diameter propeller.
3. Class I Group D and Class II Groups F & G rated.
4. Multi-voltage capable.
5. Moves up to 14,850 cubic feet of air per minute.
6. Fully assembled and ready to install.
7. Non-tipping heavy base constructed of welded steel.
8. 100' of 12/3 SOOW Cable.
9. 360° Tilt.
10. Explosion proof plug options 5-15P, 5-20P, or 6-20P

8	7	6	5	4	3	2	1
REV	DESCRIPTION						DATE
A	PRODUCTION RELEASE						09/03/2020
EPF-HSPF-36-1.5HP-100-2023-125V							
							
8	7	6	5	4	3	2	1





TAGS	QTY	CATALOG	DESCRIPTION
P1-101.11	1	UNV00005390	EXP PLUG 5-20P
1-101.06	1	UNV00001411	EXP 36" FAN 1.5HP 14850 CFM
W2	1	UNV00009802	2-CONDUCTOR LEVER CLAMP WAGO
W3	1	UNV00009803	5-CONDUCTOR LEVER CLAMP WAGO
W3	2	UNV00011954	3-CONDUCTOR LEVER CLAMP WAGO
CBL1-101.11	1	UNV00007524	16/3 SOOW UL 90C BLK



**LARSON
ELECTRONICS**

9419 E US HWY 175,
KEMP, TX 75143

TITLE EPF-HSPF-36-1.5HP-100-2023-125V		
DRAWN BY R.BLACK	DATE 09/03/2020	REV A
CHECKED BY K.NGUYEN	SHEET # 1 OF 1	DRAWING # 101











Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: EPF Series
Description: Explosion Proof Fan

Evaluated Listings:

- **UL:** PTDR.E312535 – NEC / United States standards for MOTORS FOR USE IN HAZARDOUS LOCATIONS
- **UL:** PTDR2.E312535 – NEC / United States standards for ELECTRIC MOTORS, MOTOR SUBASSEMBLIES AND MOTOR ACCESSORIES FOR USE IN HAZARDOUS LOCATIONS – COMPONENT
- **UL:** PTDR7.E312535 – CEC / Canada standards for MOTORS FOR USE IN HAZARDOUS LOCATIONS CERTIFIED FOR CANADA
- **UL:** PTDR8.E312535 – CEC / Canada standards for ELECTRIC MOTORS, MOTOR SUBASSEMBLIES AND MOTOR ACCESSORIES FOR USE IN HAZARDOUS LOCATIONS CERTIFIED FOR CANADA – COMPONENT

The EPF Series is certified to NEC and CEC standards hazardous locations for:

- NEC: Class I, Divisions 1 & 2, Groups C, D; Class II, Divisions 1 & 2, Groups E, F, G
- CEC: Class I, Divisions 1 & 2, Groups C, D; Class II, Divisions 1 & 2, Groups E, F, G

The EPF Series is comprised of a Bluffton explosion proof motor. This motor is custom mounted to the fan cage and non sparking fan propeller assembly. The fan assembly may be mounted to a portable stand or cart. The fan assembly may be equipped with cord or controls. This assembly is built to NEC and CEC standards for hazardous locations.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature:

Name: James Thomas
Position: Operations Manager

[<- Back](#)

Product Description

Title: INDUSTRIAL CONTROL PANELS
Company: LARSON ELECTRONICS LLC - Kemp, TX USA
Product Information: Industrial Control Panels For General Use.
Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Industrial Control Panels (UL-508A) and are identified with the ETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: EXPLOSION-PROOF & DUST IGNITION-PROOF ELECTRICAL EQUIPMENT FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS

Company: LARSON ELECTRONICS LLC - Kemp, TX USA

Product Information: Explosion-proof or dust-ignition-proof Industrial Control Panels for use in Hazardous (Classified) Locations, Model Nos. Custom Industrial Control Panels

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Explosion-Proof and Dust Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations (UL-1203) and are identified with the ETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: INDUSTRIAL CONTROL EQUIPMENT
Company: LARSON ELECTRONICS LLC - Kemp, TX USA
Product Information: Industrial Control Panels For General Use.
Industrial Control Panels Relating to Hazardous (Classified) Locations, Custom Industrial Control Panels.

Power Distribution System, Model Nos. MGL, MPD, MGS series;
Followed by AAK-PBB.FFF-SCC.GGG-EEXCCC.DDD; Where AA = 2,3,5,7,9,15,20,25,30,45,50,75; BB = 1P, 3P; FFF = 480,240,208,120; CC = 1P,3P; GGG = 480,240,208,120; EE = # of outlets; CCC = voltage; DDD = outlet amperage.

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Industrial Control Equipment (CAN/CSA-C22.2 No. 14) and are identified with the cETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: ENCLOSURES
Company: LARSON ELECTRONICS LLC - Kemp, TX USA
Product Information: Explosion-proof or dust-ignition-proof Industrial Control Panels for use in Hazardous (Classified) Locations, Model Nos. Custom Industrial Control Panels

Luminaires, Model Nos. EPL-48-2L-LED-SFC, EPL-24-2L-LED-SFC. for use in Hazardous Locations: Class I, Div. 1, Groups C and D T5 or T6 -20°C < Tamb < 40°C Class II, Div. 1., Groups E, F, and G; Class III Div.1 T3B -20°C < Tamb < 40°C

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Enclosures for use in Class II, Groups E, F, G Hazardous Locations (CAN/CSA-C22.2 No. 25) and are identified with the cETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: EXPLOSION-PROOF ENCLOSURES FOR USE IN CLASS I HAZARDOUS LOCATIONS

Company: LARSON ELECTRONICS LLC - Kemp, TX USA

Product Information: Explosion-proof or dust-ignition-proof Industrial Control Panels for use in Hazardous (Classified) Locations, Model Nos. Custom Industrial Control Panels

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Explosion-Proof Enclosures for Use in Class I Hazardous Locations (CAN/CSA-C22.2 No. 30) and are identified with the cETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.



Material Safety Data Sheet

To Whom It May Concern,

The Larson Electronics LLC EPF industrial line of fans for hazardous locations are considered “ARTICLES” under 29 CFR 1910-1200, the OSHA Hazard Communication Standard, and do not require a Material Safety Data Sheet (MSDS). This document does not expire.

Articles are specifically exempt from the regulations of this standard. OSHA defines an article as follows:

1910-1200(c) – Article means a manufactured item other than a fluid or particle:

- i. Which is formed to a specific shape or design during manufacture;
- ii. Which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
- iii. Which under normal conditions does not release more than very small quantities.

The “hazardous location” and “explosion proof” are terminology for the environment where these products will be installed. This is not to be confused with “hazardous materials;” this product does not contain any hazardous materials.

Regards,

Ray Smith
Larson Electronics, LLC.

PTDR.E312535 - Motors for Use in Hazardous Locations

Motors for Use in Hazardous Locations

See General Information for Motors for Use in Hazardous Locations

BLUFFTON MOTOR WORKS L L C, A SUBSIDIARY OF WEG ELECTRIC CORP

E312535

410 E SPRING ST

BLUFFTON, IN 46714-3737 USA

Class I, Groups C and D; Class II, Groups E, F and G.

Also Class I, Groups C and D; Class II, Groups E, F and G motors with labeled brakes. The brakes in these explosion-proof and dust-ignition proof assemblies are intended essentially for holding purposes and may be used for stopping light inertia loads.

Trademark and/or Tradename: "E312535", "Bluffton Motor Works", "WEG", "WEG Commercial Motors",



Last Updated on 2018-07-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

PTDR2.E312535 - Electric Motors, Motor Subassemblies and Motor Accessories for Use in Hazardous Locations - Component

Electric Motors, Motor Subassemblies and Motor Accessories for Use in Hazardous Locations - Component

See General Information for Electric Motors, Motor Subassemblies and Motor Accessories for Use in Hazardous Locations - Component

BLUFFTON MOTOR WORKS L L C, A SUBSIDIARY OF WEG ELECTRIC CORP

E312535

410 E SPRING ST

BLUFFTON, IN 46714-3737 USA

Class I, Group D.

Electric motor subassemblies, Frame 48, Model Nos. 4421007425, 4421007427, 4421007428, 4421007435 and 4421007436; Rotor Part Nos. 260447904, 260447905 and 262722914.

Conditions of Acceptability:

1. The acceptability of these devices with a specific end product is dependent upon the addition of drive-end endshield or pump housing and an opposite drive end endshield to complete the explosion-proof enclosure.

Additional Conditions of Acceptability may be included in the Report available from the manufacturer.

Marking: Company name, Tradename or trademark "Bluffton Motor Works", "WEG", "WEG Commercial Motors",



product identification electrochemically etched on the stator and

the Recognized Component Mark.

Additional markings may be included in the Report available from the manufacturer.

Last Updated on 2018-07-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

PTDR7.E312535 - Motors for Use in Hazardous Locations Certified for Canada

Motors for Use in Hazardous Locations Certified for Canada

See General Information for Motors for Use in Hazardous Locations Certified for Canada

BLUFFTON MOTOR WORKS L L C, A SUBSIDIARY OF WEG ELECTRIC CORP

E312535

410 E SPRING ST

BLUFFTON, IN 46714-3737 USA

Class I, Groups C and D; Class II, Groups E, F and G.

Also Class I, Groups C and D; Class II, Groups E, F and G motors with labeled brakes. The brakes in these explosion-proof and dust-ignition proof assemblies are intended essentially for holding purposes and may be used for stopping light inertia loads.

Trademark and/or Tradename: "E312535", "Bluffton Motor Works", "WEG", "WEG Commercial Motors",



Last Updated on 2018-07-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

PTDR8.E312535 - Electric Motors, Motor Subassemblies and Motor Accessories for Use in Hazardous Locations Certified for Canada - Component

Electric Motors, Motor Subassemblies and Motor Accessories for Use in Hazardous Locations Certified for Canada - Component

See General Information for Electric Motors, Motor Subassemblies and Motor Accessories for Use in Hazardous Locations Certified for Canada - Component

BLUFFTON MOTOR WORKS L L C, A SUBSIDIARY OF WEG ELECTRIC CORP

E312535

410 E SPRING ST

BLUFFTON, IN 46714-3737 USA

Class I, Group D.

Electric motor subassemblies, Frame 48, Models 4421007425, 4421007427, 4421007428, 4421007435 and 4421007436; Rotor Part Nos. 260447904, 260447905 and 262722914.

Conditions of Acceptability:

1. The acceptability of these devices with a specific end product is dependent upon the addition of drive-end endshield or pump housing and opposite drive end endshield to complete the explosion-proof enclosure.

Additional Conditions of Acceptability may be included in the Report available from the manufacturer.

Marking: Company name, Tradename or trademark "Bluffton Motor Works", "WEG", "WEG Commercial Motors",



and model designation electrochemically etched on the stator and

the Recognized Component Mark for Canada

Additional markings may be included in the Report available from the manufacturer.

Last Updated on 2018-07-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"



Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: EPF Series
Description: Explosion Proof Fans

Evaluated Listings:

CE: DIRECTIVE 2014/35/EU - LOW VOLTAGE DIRECTIVE
CE: DIRECTIVE 2014/30/EU - EMC DIRECTIVE
CE: Regulation (EC) No 1907/2006 - REACH REGULATION
CE: DIRECTIVE 2015/863/EU - ROHS DIRECTIVE

The EPF series complies with the essential protection requirements of the European Parliament of the Council Directive for Low Voltage Directive, EMC Directive, REACH Regulation, and RoHS Directive. This certification applies to all specimens manufactured in accordance to the manufacture's drawings.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature: *James Thomas*

Name: James Thomas
Position: Operations Manager



Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: EPF Series
Description: Explosion Proof Fans

Evaluated Listings:

CE: DIRECTIVE 2015/863/EU - ROHS DIRECTIVE

This is to certify that products offered by Larson Electronics LLC comply with the Reduction of Hazardous Substances (RoHS) directives. Directive 2002/95/EC became effective on 1 July 2006. It restricts the use of six substances in the manufacture of electrical and electronic equipment. This directive was revised in June 2011 and is now referred to as directive 2011/65/EU. Directive 2015/863/EU amending Annex II to Directive 2011/65/EU announced plans to add four substances from 22 July 2019.

We hereby certify that the equipment specified above conforms to the Directive(s) by containing less of the restricted substances than the stated limits.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature: *James Thomas*

Name: James Thomas
Position: Operations Manager



Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: EPF Series
Description: Explosion Proof Fans

Evaluated Listings:

CE: Regulation (EC) No 1907/2006 - REACH REGULATION

This letter establishes the opinion of Larson Electronics LLC regarding the status, under the current European Union ("EU") Regulations on Registration, Evaluation, Authorization, and Restriction of Chemical Substances ("REACH").

REACH does not apply to manufactured products which are referred to as "completed articles". Substances (chemicals) are subject to REACH registration, NOT products.

In addition, Articles are exempt from the REACH requirements if (a) the Article does not contain a substance of very high concern or candidate substance in an amount exceeding 0.1% weight by weight, and (b) if substances present in the Article in excess of 1 ton per year per importer are not expected nor intended to be released.

Based on communication with our raw material suppliers, we conclude that to the best of our knowledge our products requiring REACH compliance do not contain any of the currently listed SVHC in concentrations of 0.1% or above.

Accordingly, we foresee no registration or pre-registration requirement for the products we supply.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature:

Name: James Thomas
Position: Operations Manager

Frequently Asked Questions (FAQ)