Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

## WALPC-4.7-48-160W-LED-25

# 160W Mobile LED Light Stand w/ Dual Wheels - 360 Rotation - IP65 - 4' Stand - Extends to 7'

**Product ID: 147701**



**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

**WALPC-4.7-48-160W-LED-25 Mobile LED Light Stand w/ Wheels**

**Lamp Type: LED**
**Lamp Dimensions:** 50"L x 9"W x 6"H
**Stand Dimensions:** 4` Portable Aluminum Stand (3` Extension Bar Included) Max Height - 7`
**Weight:** 45 lbs
**Total Watts:** 160 watts
**Voltage:** 120-277V AC 50/60 Hz
**LED Lamp Life Expectancy:** 50,000+ Hours
**Beam Angle:** 160°
**Luminous Efficiency:** 160 lm/w
**Total Lumens:** 19,200
**Color Temp:** 6000K
**Ambient Temp Range:** -30°C to +60°C
**Power Efficiency:** >90%
**Power Factor:** >0.95
**Materials:** Aluminum Housing/Polycarbonate Lens
**Wiring:** 25` 16/3 SOOW Cord
**Cord Cap Options:** 5-15 Straight, 6-15 Straight, L5-15 Twist, L6-15 Twist. UK BS1363, Intl. Schuko, Pigtail
**Mount:** 4` Aluminum Stand on Wheels & 3` Extension Bar

**Ratings/Approvals**

80% Lumen Retention after 50,000 Hours
Reduced Energy Consumption With Improved Output
Vapor Proof
Vibration Shock Resistant
IP65 Rated Waterproof
Outdoor Approved
360° Lamp Rotation
4` Portable Aluminum Stand
3` Extension Bar Included for 7` Max Height

**Special Orders - Special Requirements**

Contact us for special requirements

**Toll Free:** 1-800-369-6671


**Intl:** 1-214-616-6180

**E-mail:** sales@larsonelectronics.com

| REV | DESCRIPTION | DATE |
|---|---|---|
| A | PRODUCTION RELEASE | 05/11/2020 |

# WALPC-47-48-160W-LED-XX-XX

LARSON ELECTRONICS®





| TAGS | QTY | CATALOG | DESCRIPTION |
|---|---|---|---|
| LT1-101.15 | 1 | N/A | 6000K LED LIGHT 120VAC 160W |
| CBL1-101.13 | 25FT | UNV00007524 | 16/3 SOOW CABLE- BLACK |

LARSON ELECTRONICS

9419 E US HWY 175,
KEMP, TX 75143

TITLE: WALPC-47-48-160W-LED-XX-XX

| DRAWN BY | DATE | REV |
|---|---|---|
| K.NGUYEN | 05-11-2020 | A |
| CHECKED BY | SHEET # | DRAWING # |
| P.CRYER | 1 OF 1 | 101 |



LARSON ELECTRONICS

**PART NUMBER:**

# WALPC-4.7-48-160W-LED-25


| SIZE | | REV |
|---|---|---|
| A | | 1 |


| | | | | |
|---|---|---|---|---|
| DIMENSIONS ARE IN INCHES | | | | |
| DO NOT SCALE DRAWING | DATE | 5/19/2020 | SCALE: NTS | SHEET 1 OF 3 |


**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LARSON ELECTRONICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LARSON ELECTRONICS LLC IS PROHIBITED.

5 4 3 2 1




## Collapsed

## Extended

LARSON ELECTRONICS

**PART NUMBER:**


# WALPC-4.7-48-160W-LED-25

| SIZE | | REV |
|---|---|---|
| A | | 1 |

| | | | | |
|---|---|---|---|---|
| DIMENSIONS ARE IN INCHES | | | | |
| DO NOT SCALE DRAWING | DATE | 5/19/2020 | SCALE: NTS | SHEET 2 OF 3 |

**PROPRIETARY AND CONFIDENTIAL**
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LARSON ELECTRONICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LARSON ELECTRONICS LLC IS PROHIBITED.

5 4 3 2 1




| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|---|---|---|---|
| 1 | FAB00001336A | Base stand assembly | 1 |
| 2 | FAB00001336B | Stage-1 Assembly | 1 |
| 3 | FAB00001336C | Stage-2 Assembly | 1 |
| 4 | FAB00001336D | 48.375" T-Head | 1 |
| 5 | FAB00001336E-1 | LED mount plate | 2 |
| 6 | FAB00001336E-2 | Spacer | 4 |
| 7 | FAB00001336F | Bolt Assembly | 2 |
| 8 | W-8in-URETHANE | 8in urethane wheel | 2 |
| 9 | Rubber feet | | 2 |
| 10 | FS-HH0.3125-18-L1.25-TL0.825 | 5/16-18x1 1/4, 7/8 Thread Length, Hex Head Screw | 4 |
| 11 | - | FW 5/16 | 4 |
| 12 | UNV00010968 | 1/4 Washer | 8 |
| 13 | - | 1/4-20x1 3/4, Partial Thread, Socket Head Cap Screw | 4 |
| 14 | UNV00003580 | 1/4-20 welded or finish nut | 4 |

**PROPRIETARY AND CONFIDENTIAL**
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LARSON ELECTRONICS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LARSON ELECTRONICS LLC IS PROHIBITED.

UNLESS OTHERWISE NOTED:
ANGLE: +/- .5
.X +/- .02
.XX +/- .01
.XXX +/- .005

| | | | NAME |
|---|---|---|---|
| SURFACE AREA | 4362.408 | DRAWN | AJ |
| DIMENSIONS ARE IN INCHES | | CHECKED | |
| DO NOT SCALE DRAWING | | DATE | 5/19/2020 |


LARSON ELECTRONICS


TITLE:
# WALPC-4.7-48-160W-LED-25

| SIZE | PRT. NO. | REV |
|---|---|---|
| A | FAB00001336 | 1 |

SCALE: NTS SHEET 3 OF 3

5 4 3 2 1









# Frequently Asked Questions (FAQ)