

EPL-SLSW-XL

Explosion Proof Selector Switch - 600V AC - SPST Switch - Long Barrel - ON/OFF Nameplate

Product ID: 148219



Image: EPL-SLSW-XL

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-SLSW-XL Explosion Proof Selector Switch

Unit Type: Explosion Proof Selector Switch

Dimensions: 5.31" - L, 1.25" - Diameter

Weight: 2 lbs

Voltage Rating: 600V AC

Amps: 10A @ 125V AC, 5A @ 250V AC

Switch Type: SPST

Operating Temp: -50°C to +60°C

Materials: Aluminum and Stainless Steel

Panel Thickness: 1.5"

Nameplate Marking: ON/OFF

Ratings/Approvals

Class I, Divisions 1 & 2 Groups B,C,D

Class I, Zones 1 & 2 Groups IIB,IIA

Class II, Divisions 1 & 2 Groups E,F,G

Class III

NEMA 3, 4, 4X, 7 (B,C,D) 9 (E,F,G)

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

The EPL-SLSW-XL from Larson Electronics is an Explosion Proof Selector Switch that is suitable for preventing the ignition of external, flammable atmospheres in hazardous locations. This 600V-rated unit features a long barrel design for installation in thick panels measuring up to 1.5". The explosion proof device supports a single pole, single throw (SPST) configuration with an ON/OFF nameplate marking.

The EPL-SLSW-XL is rated for Class I, Divisions 1 & 2; Class I, Zones 1 & 2; Class II, Divisions 1 & 2; and Class III facilities. The SPST type switch comes with a maximum rating of 600V AC. An ON/OFF nameplate marking ensures visibility and reduces human error during

operation. For protection in hazardous locations, the explosion proof device is constructed of aluminum and stainless steel. This unit is compatible with a panel thickness measurement of 1.5" (maximum).

Applications: Chemical processing facilities, food processing plants, oil refineries, agricultural sites, grain storage facilities, metal processing and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664





Frequently Asked Questions (FAQ)

There are no Faqs