

HLSW-SS-SW20-2PSW-LCK-OF

Explosion Proof Stainless Steel Maintained Contact Switch - 2-Position Key Selector - C1&D2 - C2D1&2

Product ID: 149860



Image: HLSW-SS-SW20-2PSW-LCK-OF

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HLSW-SS-SW20-2PSW-LCK-OF Stainless Steel Maintained Contact Switch

Type: Maintained Contact 2-Position Selector Switch

Dimensions: 3.95"W x 4.21"H x 4.16"D

Voltage Rating: 690V AC, 20A, 50-60Hz

Horsepower Rating: 2 HP

Ambient Operating Temp Range: -50°C to +60°C

UV Protection: f1

Housing Materials: Stainless Steel Glass Reinforced Impact Resistant Antistatic Material

Housing Color: Black

Switch Color: Black

Legend Plate Color: Silver

Legend Plate Labels: On/Off

Contact Blocks: (1) Normally Open & (1) Normally Closed

Flame Retardant Rating: V-0

Gasket Material: Silicone

Mounting: Din Rail Mount

Wiring Hub: (1)1/2" Or 3/4" NPT SS Hub

Ratings/Approvals

Class I, Division 2, Groups A, B, C, D

Class I, Zone 1, AEx de IIC T4/T5/T6 Gb

Class II, Division 2, Groups E, F, G

Class III

Type 3, 4, 4X, 12, 13

II 2 G Ex de IIC T4/T5/T6 Gb

II 2 D Ex tb IIIC T4/T5/T6 Db IP66

NEMA 3, 4, 4X, 12, 13

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

The HLSW-SS-SW20-2PSW-LCK-OF from Larson Electronics is a stainless steel maintained 2-position contact switch that is rated for Class I Division 2 Groups A, B, C & D, Class II, Division 2, Groups E, F & G and Class III hazardous environments. This

ATEX certified 2-position selector switch has a din rail mount design and is constructed of an impact resistant glass reinforced stainless steel material with silicone gaskets. The HLSW-SS-SW20-2PSW-LCK-OFF has a black housing color with a black two-way switch and boasts a compact size for convenient mounting and use.

This Class I Division 2 Groups A, B, C & D rated stainless steel maintained contact switch is designed for din rail mounting. It is ideal for mounting and use in petroleum refineries, chemical plants, petrochemical plants and other facilities where similar conditions exist. The HLSW-SS-SW20-2PSW-LCK-OFF has explosion protected contact blocks that are rated for voltages up to 690V AC, is capable of handling 20 amps for switching duty and has a horsepower rating of 2 HP. This 2-position selector switch also features silver alloy contacts with gold flashing. This stainless steel maintained contact switch has an ambient operating temperature of -50°C to +60°C and can be used in conjunction with motor starters or contactors for remote operation of motors.

The HLSW-SS-SW20-2PSW-LCK-OFF C1D2 stainless steel 2-position selector maintained contact switch features a stainless steel housing that is constructed of a PA6 glass reinforced antistatic material that is impact resistant, f1 UV resistant and has a flame retardant rating of V-0. The housing on this switch is black and the switch itself is also black which offers plenty of contrast against the silver legend plate that is marked on/off for easy visibility of the switch and its current position. This switch has a 3/4" NPT SS hub and features silicone gasketing throughout. The HLSW-SS-SW20-2PSW-LCK-OFF has one normally open contact block and one normally closed contact block. Normally closed is a contact that flows current in its normal state and normally open is a contact that does not flow current in its normal state. In the case of this switch, the normally closed contact would be labeled as "ON" because the circuit is "closed" or allowing current to flow while the normally open contact would be labeled as "OFF" because the circuit is "open" or not allowing current to flow.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Certificate of Conformity

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: HLSW Series
Description: Hazardous Location Switches

Evaluated Listings:

UL: NNNY.E53360, NWFA.E53360 – NEC / United States standards
UL: NNNY7.E53360, NWFA7.E53360 – CEC / Canada standards
UL: DEMKO 15 ATEX 1405X – ATEX standards
UL: IECEX UL 15.0054X – IEC Ex standards
CSA: LR11716 – CEC / Canada standards

The HLSW Series is certified to NEC, CEC, ATEX, and IEC Ex standards for hazardous locations.

The HLSW Series is comprised of a Killark HKH series device. This assembly is built to NEC, CEC, ATEX, and IEC standards for hazardous locations.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature: *James Thomas*

Name: James Thomas
Position: Operations Manager

[<- Back](#)

Product Description

Title: INDUSTRIAL CONTROL PANELS
Company: LARSON ELECTRONICS LLC - Kemp, TX USA
Product Information: Industrial Control Panels For General Use.
Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Industrial Control Panels (UL-508A) and are identified with the ETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: EXPLOSION-PROOF & DUST IGNITION-PROOF ELECTRICAL EQUIPMENT FOR USE IN HAZARDOUS (CLASSIFIED) LOCATIONS

Company: LARSON ELECTRONICS LLC - Kemp, TX USA

Product Information: Explosion-proof or dust-ignition-proof Industrial Control Panels for use in Hazardous (Classified) Locations, Model Nos. Custom Industrial Control Panels

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Explosion-Proof and Dust Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations (UL-1203) and are identified with the ETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: INDUSTRIAL CONTROL EQUIPMENT
Company: LARSON ELECTRONICS LLC - Kemp, TX USA
Product Information: Industrial Control Panels For General Use.
Industrial Control Panels Relating to Hazardous (Classified) Locations, Custom Industrial Control Panels.

Power Distribution System, Model Nos. MGL, MPD, MGS series;
Followed by AAK-PBB.FFF-SCC.GGG-EEXCCC.DDD; Where AA = 2,3,5,7,9,15,20,25,30,45,50,75; BB = 1P, 3P; FFF = 480,240,208,120; CC = 1P,3P; GGG = 480,240,208,120; EE = # of outlets; CCC = voltage; DDD = outlet amperage.

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Industrial Control Equipment (CAN/CSA-C22.2 No. 14) and are identified with the cETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: ENCLOSURES
Company: LARSON ELECTRONICS LLC - Kemp, TX USA
Product Information: Explosion-proof or dust-ignition-proof Industrial Control Panels for use in Hazardous (Classified) Locations, Model Nos. Custom Industrial Control Panels

Luminaires, Model Nos. EPL-48-2L-LED-SFC, EPL-24-2L-LED-SFC. for use in Hazardous Locations: Class I, Div. 1, Groups C and D T5 or T6 -20°C < Tamb < 40°C Class II, Div. 1., Groups E, F, and G; Class III Div.1 T3B -20°C < Tamb < 40°C

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Enclosures for use in Class II, Groups E, F, G Hazardous Locations (CAN/CSA-C22.2 No. 25) and are identified with the cETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.

[<- Back](#)

Product Description

Title: EXPLOSION-PROOF ENCLOSURES FOR USE IN CLASS I HAZARDOUS LOCATIONS

Company: LARSON ELECTRONICS LLC - Kemp, TX USA

Product Information: Explosion-proof or dust-ignition-proof Industrial Control Panels for use in Hazardous (Classified) Locations, Model Nos. Custom Industrial Control Panels

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Explosion-Proof Enclosures for Use in Class I Hazardous Locations (CAN/CSA-C22.2 No. 30) and are identified with the cETL Listed Mark.

[<- Back](#)

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478
(or +1-847-660-7407)
Email
etldirectory@intertek.com

[Intertek Home](#)
[Product Directories](#)
[DLP on mobile devices](#)

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. [Learn more...](#)

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. [Learn more...](#)

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.



Material Safety Data Sheet

To Whom It May Concern,

Larson Electronics LLC EPL, EPCS, EPS, EPSW, HLX, and HLSW industrial line of switches and operators for hazardous locations are considered “ARTICLES” under 29 CFR 1910-1200, the OSHA Hazard Communication Standard, and do not require a Material Safety Data Sheet (MSDS).

Articles are specifically exempt from the regulations of this standard. OSHA defines an article as follows:

1910-1200(c) – Article means a manufactured item other than a fluid or particle:

- i. Which is formed to a specific shape or design during manufacture;
- ii. Which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
- iii. Which under normal conditions does not release more than very small quantities.

The “hazardous location” and “explosion proof” are terminology for the environment where these products will be installed. This is not to be confused with “hazardous materials;” this product does not contain any hazardous materials.

Regards,

Ray Smith
Larson Electronics, LLC.

NNNY.E53360 - INDUSTRIAL CONTROL PANELS AND ASSEMBLIES FOR USE IN HAZARDOUS LOCATIONS

Industrial Control Panels and Assemblies for Use in Hazardous Locations

See General Information for Industrial Control Panels and Assemblies for Use in Hazardous Locations

KILLARK, DIV OF HUBBELL INC (DELAWARE)

E53360

2112 FENTON LOGISTICS PARK BLVD
FENTON, MO 63026 USA

Class I, Group D

Modular control covers, receptacles, for use with plugs Cat. Nos. KP-20SU37, KP-20SU38 and KP-30 series, "KRS Series",
KRS-20SU37, KRS-20SU38, KRS-303, KRS-304

Class I, Groups A, B, C and D

Division 2, modular control bodies, box, PWB, followed by additional letters and/or numbers.

Class I, Groups C and D

Modular control body, outlet boxes, for use with KRJ receptacles, AJAC Series, AJAT Series, AJC Series

Modular control covers, receptacles, for use with AJ outlet boxes, KRJ Series

Class I, Groups C and D; Class II, Groups E, F and G; Class III

Blank covers, X-10

Manual motor control cover assemblies, for use with Series SWB bodies, "XS Series", XSD, followed by 0, followed by 1 or 2.

Modular control bodies, "FXB Series", FXB-1, FXB-10, FXB-11, FXB-12, FXB-2, FXB-3, FXB-4, FXB-5, FXB-6, FXB-7, FXB-8, FXB-9

modular control covers, ground fault interrupter, "FXS-GFI Series", FXS-GFI, followed by 03, may be followed by PL.

Modular control covers, manual motor controller, "FXS Series", FXS, followed by A, D, G, W or X, followed by 0, followed by 1, 2 or 3, may be followed by SU-87.

Modular control covers, pilot lights, "FXCS Series and FZCS Series", FXCS Series and FZCS Series", FXCS-0 or FZCS-0, followed by A or B, followed by 13-C, -0, -U, 15 or 16, followed by AL, BL, CL, FL or GL, may be followed by SU-87.

Modular control covers, pilot lights, "FXCS Series and FZCS Series", FXCS Series and FZCS Series", FXCS-0 or FZCS-0, followed by B, followed by 4, 24, 25, 30, 31, or 34 followed by AL, BL, CL, FL, GL or RL, may be followed by SU-87.

Modular control covers, pilot lights, "FXCS Series and FZCS Series", FXCS Series and FZCS Series", FXCS-0 or FZCS-0, followed by B, followed by 4, 24, 25, 30, 31, or 34 followed by AL, BL, CL, FL, GL or RL, may be followed by SU-87.

Modular control covers, pilot lights and combination pilot light push button stations, "XCS Series", XCS-0B24, XCS-0B30

Modular control covers, push button station, "XTS Series", XCS-0B1, XCS-0B2, XCS-0B3, XCS-0B4, XCS-0B4-U, XCS-0B4FS, XCS-0B5, XCS-0B6, XCS-0B7

Modular control covers, push button station, "FXCS Series and FZCS Series", FXCS-0 or FZCS-0, followed by A or B, followed by 1, 2, 3, 4, 5, 6 or 7, may be followed by SU-87.

Cookies on UL

We use cookies to personalize

content and ads to provide social
media features and to analyze

our traffic. We also share

information about your use of our

site with our social media,

advertising and analytics

partners. [Learn More](#)

[Cookie Settings](#)

✓ Accept

Modular control covers, push/pull mushroom head switch assembly, "XCS Series", XCS-0MRM3

Modular control covers, selector switch, "XCS Series", XCS-0K2A1D, XCS-0K2A5D, XCS-0K3C4D, XCS-0K3C5D, XCS-0S2A1, XCS-0S2A5, XCS-0S3C4, XCS-0S3C5

Modular control covers, snap switches, "FXCS Series and FZCS Series", ", FXCS-0 or FZCS-0, followed by K or S, followed by 2 or 3, followed by L, M or R, followed by 3 or 6, followed by F or G, followed by 2, 3, 21, 22, 31, 32 or 33, followed by A or D, may be followed by SU-87

Modular control covers, snap switches, "FXCS Series and FZCS Series", FXCS-0 or FZCS-0, followed by S, followed by 2, 3, or 4, followed by A, C, G or H, followed by 1, 4 or 5 may be followed by SU-87

Modular control covers, snap switches, "FXCS Series and FZCS Series", FXCS-0K or FZCS-0K, followed by 2, 3, 21, 22, 31, 32 or 33, followed by A, C, or G, followed by 1, 4, 5, 8 or 88, may be followed by SU-87.

Modular control covers, snap switches, "FXS Series", FXS, followed by 1C, 2C, 3C, 4C, 5C, 6C, 7C, 8C, 9C, 1D, 2D, 3D, 4D, 5D, 7D, 1T, 2T, 3T, 4T or 5T, may be followed by SU-87.

Modular control covers, snap switches, "XS Series", XS-1C, XS-1D, XS-1T, XS-2C, XS-2D, XS-2T, XS-3C, XS-3D, XS-3T, XS-4C, XS-4T, XS-5C, XS-5D, XS-6C, XS-7C, XS-7D, XS-8C, XS-9C

Modular control covers, snap switches, "XTS Series", XTS-1C, XTS-1D, XTS-1T, XTS-2C, XTS-2D, XTS-2T, XTS-3C, XTS-3D, XTS-3T, XTS-4C, XTS-4T, XTS-5C, XTS-5D, XTS-6C, XTS-7C, XTS-7D, XTS-8C, XTS-9C

Modular control panels, "GCS Series", GCS-1, GCS-10, GCS-11, GCS-12, GCS-13, GCS-14, GCS-15, GCS-152, GCS-16, GCS-163, GCS-17, GCS-18, GCS-19, GCS-2, GCS-20, GCS-21, GCS-3, GCS-31, GCS-32, GCS-33, GCS-34, GCS-35, GCS-36, GCS-37, GCS-38, GCS-4, GCS-41, GCS-42, GCS-43, GCS-44, GCS-45, GCS-46, GCS-48, GCS-49, GCS-5, GCS-6, GCS-7, GCS-8, GCS-9

Modular control panels, "SPH Series", SPH, followed by a five-digit number.

Modular control panels, modular control bodies, enclosures, max. conduit size 1-1/2 in., "SWB Series", SWB-1, SWB-10, SWB-11, SWB-12, SWB-13, SWB-14, SWB-17, SWB-18, SWB-19, SWB-2, SWB-20, SWB-21, SWB-3, SWB-31, SWB-32, SWB-33, SWB-34, SWB-35, SWB-36, SWB-37, SWB-38, SWB-4, SWB-41, SWB-42, SWB-43, SWB-44, SWB-45, SWB-46, SWB-48, SWB-49, SWB-5, SWB-6, SWB-7, SWB-8, SWB-9

Class I, Groups C and D; Class II, Groups F and G; Class III

Modular control covers, receptacles with plugs interlocked with switches, plugs, "U Series", U, followed by GP, followed by 15231, 15232, 20231, 20232.

Modular control covers, receptacles with plugs interlocked with switches, receptacles, "U Series", U, followed by 0, may be followed by 20231 or 20232, may be followed by R.

Class I, Groups C and D; Class II, Groups E, F, and G, Class III

Modular control cover assemblies, FXS and FXCS Series as described above for use with single gang series FXB bodies with backbox spacer Part No. FXB075SPCR, FXB10SPCR, FXB15SPCR or FXB20SPCR, for use in Class I, Groups C and D; Class II, Groups E, F, and G, and Class III Hazardous Locations.

Modular control cover, with pilot lights, push buttons and selector switches, D2C, followed by additional letters and/or numbers.

Last Updated on 2020-01-04

Cookies on UL

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured in compliance with UL standards. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL products and services are described in the Online Certification Directory subject to the following conditions: 1. The Guide, Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from UL's Certification Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include the copyright notice, following format: "© 2020 UL LLC"

advertising and analytics

partners.. Learn More

We use cookies to personalize

content and ads, to provide social

media features and to analyze

our traffic. We also share

information about your use of our

site with our social media

Cookie Settings

✓ Accept

NWFA.E53360 - CONTROL PANELS AND ASSEMBLIES FOR USE IN ZONE CLASSIFIED HAZARDOUS LOCATIONS

Control Panels and Assemblies for Use in Zone Classified Hazardous Locations

See General Information for Control Panels and Assemblies for Use in Zone Classified Hazardous Locations

KILLARK, DIV OF HUBBELL INC (DELAWARE)

E53360

2112 FENTON LOGISTICS PARK BLVD

FENTON, MO 63026 USA

Class I, Zone 1, AEx de IIC T6...T4; Zone 21, AEx tb IIIC T85°C...T135°C

Control assemblies, "HKH Series", Model(s) HKH1AE*, HKH1AN*, HKH1AS*, HKH1BE*, HKH1BN*, HKH1BS*, HKH1CE*, HKH1CN*, HKH1CS*, HKHMOD*

* - Can be followed by additional numbers and letters indicating different options that do not impact the protection method.

Last Updated on 2018-04-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners.. [Learn More](#)

› [Cookie Settings](#)

✓ [Accept](#)

CERTIFICATE OF COMPLIANCE

Certificate Number 20190715-E53360
Report Reference E53360-20160129
Issue Date 2019-JULY-15

Issued to: KILLARK, DIV OF HUBBELL INC (DELAWARE)
3940 MARTIN LUTHER KING DR
ST LOUIS, MO 63113 USA

**This is to certify that
representative samples of**

CONTROL PANELS AND ASSEMBLIES FOR USE IN
ZONE CLASSIFIED HAZARDOUS LOCATIONS

Flameproof and Increased Safety Control Stations for use in
Class I, Zone 1, AEx d e IIC T6...T4; Ex d e IIC T6...T4;
Zone 21, AEx tb IIIC T85°C...T135°C; Ex tb IIIC
T85°C...T135°C Hazardous Location.

Model Nos. HKH1AN, HKH1AS, HKH1AE, HKH1BN,
HKH1BS, HKH1BE, HKH1CN, HKH1CS, HKH1CE,
HKH2AN, HKH2AS, HKH2AE, HKH2CN, HKH2CS,
HKH2CE, and HKHMOD, followed by additional numbers
and letters indicating different actuator and component
configurations and optional accessories which do not
impact the protection method.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.


Standard(s) for Safety: See Addendum for Standards

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product..



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190715-E53360
Report Reference E53360-20160129
Issue Date 2019-JULY-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Addendum -

Standards for Safety:

UL 60079-0, 6th Ed., Explosive atmospheres – Part 0: Equipment – General requirements

UL 60079-1, 6th Ed. - Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures "d"

UL 60079-31, 1st Ed., Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"

UL 60079-7, 4th Ed., Rev. 2013-05-31, Explosive Atmospheres – Part 7: Equipment protection by increased safety "e"

UL 50, 12th Edition, revised 2012-04-27, Enclosures for Electrical Equipment, Non-Environmental Considerations

UL 50E, 1st Edition, Issued 2012-04-27, Enclosures for Electrical Equipment, Environmental Considerations

UL 1059, 4th Edition, Issued 2001-12-27, Terminal Blocks

CAN/CSA-C22.2 No. 60079-0:11, Explosive atmospheres — Part 0: Equipment — General requirements

CSA-C22.2 No. 60079-1: 2012 - Explosive Atmospheres - Part 1: Equipment Protection by Flameproof Enclosures "d"


CAN/CSA-C22.2 No. 60079-31:12, Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"

CAN/CSA C22.2 No. 60079-7:12, Explosive atmospheres — Part 7: Equipment protection by increased safety "e"

CSA C22.2 No. 158-10, 3rd Edition, Terminal Blocks

CAN/CSA C22.2 No. 94.2-07, 1st Edition, Issued 2012-04-27, Enclosures for Electrical Equipment, Environmental Considerations

CAN/CSA C22.2 No. 14-13, 12th Edition, Issued 2013-03-01, Industrial control equipment



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>





NNNY7.E53360 - INDUSTRIAL CONTROL PANELS AND ASSEMBLIES FOR USE IN HAZARDOUS LOCATIONS CERTIFIED FOR CANADA

Industrial Control Panels and Assemblies for Use in Hazardous Locations Certified for Canada

See General Information for Industrial Control Panels and Assemblies for Use in Hazardous Locations Certified for Canada

KILLARK, DIV OF HUBBELL INC (DELAWARE)

E53360

2112 FENTON LOGISTICS PARK BLVD

FENTON, MO 63026 USA

Class I, Groups A, B, C and D**Division 2, modular control bodies, box**, PWB, followed by additional letters and/or numbers.**Modular control cover, with pilot lights, push buttons and selector switches**, D2C, followed by additional letters and/or numbers.

Last Updated on 2020-01-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners.. [Learn More](#)

[› Cookie Settings](#)[✓ Accept](#)

NWFA7.E53360 - CONTROL PANELS AND ASSEMBLIES FOR USE IN ZONE CLASSIFIED HAZARDOUS LOCATIONS CERTIFIED FOR CANADA

Control Panels and Assemblies for Use in Zone Classified Hazardous Locations Certified for Canada

See General Information for Control Panels and Assemblies for Use in Zone Classified Hazardous Locations Certified for Canada

KILLARK, DIV OF HUBBELL INC (DELAWARE)

E53360

2112 FENTON LOGISTICS PARK BLVD

FENTON, MO 63026 USA

Ex d e IIC T6...T4 Gb; Ex tb IIIC T85°C...T135°C Db

Control stations, "HKH Series", Model(s) HKH1AE*, HKH1AN*, HKH1AS*, HKH1BE*, HKH1BN*, HKH1BS*, HKH1CE*, HKH1CN*, HKH1CS*, HKHMOD*

* - Can be followed by additional numbers and letters indicating different options that do not impact the protection method.

Last Updated on 2018-04-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"

Cookies on UL

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners.. [Learn More](#)

› [Cookie Settings](#)

✓ [Accept](#)



Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: HLSW Series
Description: Hazardous Location Switches

Evaluated Listings:

CE: DIRECTIVE 2014/35/EU - LOW VOLTAGE DIRECTIVE
CE: DIRECTIVE 2014/30/EU - EMC DIRECTIVE
CE: Regulation (EC) No 1907/2006 - REACH REGULATION
CE: DIRECTIVE 2015/863/EU - ROHS DIRECTIVE

The HLSW Series complies with the essential protection requirements of the European Parliament of the Council Directive for Low Voltage Directive, EMC Directive, REACH Regulation, and RoHS Directive. This certification applies to all specimens manufactured in accordance to the manufacture's drawings.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature: *James Thomas*

Name: James Thomas
Position: Operations Manager



Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: HLSW Series
Description: Hazardous Location Switches

Evaluated Listings:

CE: DIRECTIVE 2015/863/EU - ROHS DIRECTIVE

This is to certify that products offered by Larson Electronics LLC comply with the Reduction of Hazardous Substances (RoHS) directives. Directive 2002/95/EC became effective on 1 July 2006. It restricts the use of six substances in the manufacture of electrical and electronic equipment. This directive was revised in June 2011 and is now referred to as directive 2011/65/EU. Directive 2015/863/EU amending Annex II to Directive 2011/65/EU announced plans to add four substances from 22 July 2019.

We hereby certify that the equipment specified above conforms to the Directive(s) by containing less of the restricted substances than the stated limits.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature: *James Thomas*

Name: James Thomas
Position: Operations Manager



Certification

Manufacturer: Larson Electronics LLC
Address: 9419 US-HWY 175
Kemp, Texas 75143

Declare the following equipment conforms to the standard(s) as listed:

Model: HLSW Series
Description: Hazardous Location Switches

Evaluated Listings:

CE: Regulation (EC) No 1907/2006 - REACH REGULATION

This letter establishes the opinion of Larson Electronics LLC regarding the status, under the current European Union ("EU") Regulations on Registration, Evaluation, Authorization, and Restriction of Chemical Substances ("REACH").

REACH does not apply to manufactured products which are referred to as "completed articles". Substances (chemicals) are subject to REACH registration, NOT products.

In addition, Articles are exempt from the REACH requirements if (a) the Article does not contain a substance of very high concern or candidate substance in an amount exceeding 0.1% weight by weight, and (b) if substances present in the Article in excess of 1 ton per year per importer are not expected nor intended to be released.

Based on communication with our raw material suppliers, we conclude that to the best of our knowledge our products requiring REACH compliance do not contain any of the currently listed SVHC in concentrations of 0.1% or above.

Accordingly, we foresee no registration or pre-registration requirement for the products we supply.

Signed for and on behalf of: Larson Electronics, LLC
Place of issue: Kemp, TX

Signature: *James Thomas*

Name: James Thomas
Position: Operations Manager



Frequently Asked Questions (FAQ)

There are no Faqs