

## EXP-RT-DPST-MIN.5

Explosion Proof Timer Switch - Class I, II, III - 5-Minute Timer, DPST Switch - NEMA - 120-277V AC

Product ID: 236867



Image: EXP-RT-DPST-MIN.5

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

### EXP-RT-DPST-MIN.5 Explosion Proof Timer Switch

**Listing:** NRTL Listed for United States, Canada

**Unit Type:** Explosion Proof Timer Switch

**Dimensions:** 5.1"-L x 3.625"-W x 6.663"-H

**Minutes:** Up to 60 Minutes

**Configuration:** DPST

**Voltage:** 120-277V AC 50/60 Hz

**Timer Control:** Mechanical Spring

**Amperage:** 20A @ 125V AC (7A for Tungsten loads), 10A @ 250 VAC, 10A @ 277V AC

**Horsepower:** 1HP @ 120V AC, 2HP @ 240V AC

**Ambient Operating Temp:** -40 °F to 104 °F (-40 °C to 40 °C)

**Unit Materials:** Copper-free Cast Aluminum

**Mounting:** External Mounting Lugs on Body

**Hub Quantity:** (2) Feed Through or (1) Dead End

**Hub Size:** 1/2" or 3/4"

### Ratings/Approvals

Class I, Divisions 1&2 Groups C,D

Class II, Divisions 1&2 Groups E,F,G

Class III, Divisions 1&2

NEMA 3,7(BCD),9(EFG),12

No Power Input Required for Timer

### Special Orders - Special Requirements

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-270-1187

**Fax:** 1-903-765-7664

**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)

## Made in Texas

The Larson Electronics EXP-RT-DPST-MIN.5 Explosion Proof Timer Switch provides timed controls for equipment in combustible work sites and locations. The 5-minute timer can be configured using a DPST switch. Constructed of copper-free aluminum, the unit is NEMA-rated for durability in rugged environments.

The EXP-RT-DPST-MIN.5 offers robust timing control of equipment. This unit is equipped with a dual pole single throw switch, which allows operators to set the timer to 5 minutes. The explosion proof timer switch is designed for Class I, Division 1 and 2; Class 2, Division 1 and 2; and Class III environments and operates on 120-277V AC 50/60 Hz ; 20A @ 125V AC (7A for Tungsten loads), 10A @ 250 VAC, 10A @ 277V AC. It uses 1HP @ 120V AC and 2HP @ 240V AC.

The EXP-RT-DPST-MIN.5 is constructed of copper-free cast aluminum for superior performance and durability. These switches are not factory sealed and require external sealing fittings. Two external mounting lugs provide simple and secure mounting of the unit to walls and flat surfaces. This explosion proof unit is available with either 1/2" or 3/4" NPT tapped hubs. The conduit openings are provided on the top and bottom of the unit in feed through versions, while dead-end versions have a single conduit hub, providing easy and secure connection to main power line supplies. Operating temperature is -40 °F to 104 °F (-40 °C to 40 °C).

**Suggested Applications:** Manufacturing, Industrial, Warehouse, Lighting, Lighting, Wet areas or Locations Where Combustible Dust is Present. This switch can be used with fans, motors, heaters, and lighting (including incandescent, halogen, compact fluorescent, tungsten, and LED lighting loads).


At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com) for more information about our custom options tailored to meet your specific industry needs.


---

|                                                                                                                                      |     |                    |   |   |   |   |   |          |
|--------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------|---|---|---|---|---|----------|
|                                                                                                                                      | 8   | 7                  | 6 | 5 | 4 | 3 | 2 | 1        |
|                                                                                                                                      | REV | DESCRIPTION        |   |   |   |   |   | DATE     |
|                                                                                                                                      | A   | PRODUCTION RELEASE |   |   |   |   |   | 7/5/2022 |
| <div>EXP-RT-DPST-MIN.5-0.5IN-FT</div> <div></div> |     |                    |   |   |   |   |   |          |
|                                                                                                                                      | 8   | 7                  | 6 | 5 | 4 | 3 | 2 | 1        |

EXP-RT-DPST-MIN.5-0.5IN-FT







**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
LARSON ELECTRONICS LLC. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION OF  
LARSON ELECTRONICS LLC IS  
PROHIBITED.

UNLESS OTHERWISE  
NOTED:

Angle +/- 1 deg  
.X +/- .1  
.XX +/- .05  
.XXX +/- .005

DIMENSIONS ARE IN INCHES

DO NOT SCALE DRAWING

DATE

8/17/2021

SIZE

**A**

REV

**1**

SCALE: NTS

SHEET 1 OF 1









**LARSON**  
ELECTRONICS™

**www.LarsonElectronics.com**  
**Email: sales@LarsonElectronics.com**  
**Fax: 903.765.7664**









---

## Frequently Asked Questions (FAQ)

There are no Faqs