Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

MPD-NFMDS-SS-120V-3P-20A-N4X

20 Amp Non-Fused Manual AC Disconnect Safety Switch - 120V AC, 3-Pole - 316 Stainless Steel

Product ID: 316006



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MPD-NFMDS-SS-120V-3P-20A-N4X Non-Fused AC Disconnect Switch

Unit Type: Non-Fused Manual AC Disconnect Switch
Dimensions: 4.9" x 7" x 5.4"
Weight: -
Voltage: 120V
Max Amp Rating: 20 Amps
HP: 3 HP
Disconnect Type: Non-Fused
Poles: 3P
Contacts: (2) Auxiliary
Operating Temperature: -40°C to 75°C
Materials: 316 Stainless Steel
Mount: Din Rail Mount

Ratings/Features:
NSF Certified
NEMA 4X Enclosure
UV Stabilized Materials

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Larson Electronics manufacture a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and one-line diagram.

The MPD-NFMDS-SS-120V-3P-20A-N4X is an AC Disconnect Switch that is an accessory for power distribution systems. This 20-amp power distribution accessory acts as an overload breaker and comes with a 120V voltage rating. The non-fused unit is constructed of stainless steel and UV stabilized materials.

The MPD-NFMDS-SS-120V-3P-20A-N4X is a non-fused AC disconnect switch that

is rated for 20 amps. This 3 HP power distribution accessory has a 3-pole configuration along with a 120V AC voltage rating. A red handle is used to engage the non-fused disconnect, which can be locked in its OFF position to prevent tampering. The cover cannot be removed when the handle is in the ON position. The MPD-NFMDS-SS-120V-3P-20A-N4X is constructed of 316 stainless steel with a neoprene gasket. Suitable for outdoor locations, the unit`s enclosure is rated Type 4X and is suitable for NSF compliance. All of the materials are UV stabilized for durability. This non-fused disconnect supports din rail mounting configurations for space-saving installations.

Applications: Industrial and light commercial applications, air conditioning units, food processing and any other power distribution systems that require overload breaker protection.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)