

MT-DTCB-XX-SP6500

Dead Tank Circuit Breaker Accessory: Fixed Main Contact

Product ID: 320871



Image: MT-DTCB-XX-SP6500

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MT-DTCB-XX-SP6500 Fixed Main Contact

Unit Type: Fixed Main Contact

Application: Dead Tank Circuit Breakers

Rated Voltage: 145 kV

Rated Current: 4000A

Interrupting Rating: 65 kA

Surface Finish: Antiweld design, silver-plated

Material: Silver-plated copper alloy

Dimensions: 2.5" × 2.5" × 5.5"

Weight: 33.07 lbs

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-765-7664

E-

mail: sales@larsonelectronics.com

The MT-DTCB-XX-SP6500 is the primary current-carrying contact that establishes and breaks the main electrical circuit inside the interrupter chamber. Designed for high fault and load current interruption.







Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664





Frequently Asked Questions (FAQ)

There are no Faqs