Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

RFUSE-HRC-7.2KV-160A-HF

HRC High-Voltage Fuse Link with Striker – 7.2 kV AC – 160A Rated

Product ID: 327572

Image: RFUSE-HRC-7.2KV-160A-HF

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

RFUSE-HRC-7.2KV-160A-HF HRC Fuse Link

Type: HRC High-Voltage Fuse Link with Striker
Dimensions: 14.5" Length × 2.0" Diameter
Weight: ~5.0 lbs
Voltage Rating: 7.2 kV AC
Interrupting Rating: 63kA
Amp Rating: 160 A
Mounting Type: High-Voltage Cylindrical Fuse Link (Striker-Equipped)

Ratings/Approvals

NRTL Listed for United States
CSA Certified

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The RFUSE-HRC-7.2KV-160A-HF from Larson Electronics is a high-voltage HRC Fuse Link designed for transformer protection and medium-voltage distribution systems. This unit is rated at 160 amps and operates at 7.2 kV AC, offering reliable fault interruption for high-voltage electrical networks. Equipped with a striker mechanism, the fuse link provides dependable tripping indication and integration into protected switchgear.

The RFUSE-HRC-7.2KV-160A-HF features a 50–63 kA interrupting rating (typical for 7.2 kV transformer fuses), ensuring robust performance in demanding industrial and utility applications.

Suggested Applications: Transformer primary protection, medium-voltage feeders, metal-clad switchgear, power distribution networks, loadbreak switch protection, capacitor bank circuits, and other medium-voltage electrical systems.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs