

MPD-ML-ALU-2x3C.250KCMIL-2x4C.250KCMIL

Transformer Lug Kit – (2) Set of 3/C 250 KCMIL Primary & (2) 4/C 250 KCMIL Secondary

Product ID: 333122



Image: MPD-ML-ALU-2x3C.250KCMIL-2x4C.250KCMIL

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MPD-ML-ALU-2x3C.250KCMIL-2x4C.250KCMIL Transformer Lug Kit

Features

Dimensions: 3.2"L x 1.58"W x 2.43"D

Maximum Voltage: 600V

Connector Type: Mechanical Lug

Maximum Operating Temperature: 194 °F

Materials: Aluminum, Copper, Tin Finish (Contact)

Primary Lug Quantity/Size: 2 x 3/C 250 KCMIL

Secondary Lug Quantity/Size: 2 x 4/C 250 KCMIL

Number of Mounting Holes: 1

Number of Conductors: 1

Mounting Bolt Size: 1/2"

Larson Electronics manufacture a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and one-line diagram.

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics MPD-ML-ALU-2x3C.250KCMIL-2x4C.250KCMIL Transformer Lug is designed to provide a secure and reliable connection between transformers and customer-provided conductors. This transformer lug is intended for use on both the primary and secondary connections of low-voltage distribution transformers and supports single conductors sized at 350 kcmil.



The MPD-ML-ALU-2x3C.250KCMIL-2x4C.250KCMIL is a single-conductor transformer lug compatible with 250 kcmil wire and rated for use on systems up to 600V. Constructed of aluminum with tin-plated copper contact surfaces, this lug ensures excellent conductivity and corrosion resistance. The unit features a 1/2" mounting stud and is suitable for use in transformer, power distribution, and industrial electrical applications.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



Frequently Asked Questions (FAQ)

There are no Faqs