Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EXC-25-10.4-60A-L14.30P-XLE-PA-IP67-309.NA-3PH-60A-480V-3P4W-P

25' 10/4 SOOW Twist Lock Exension Power Cord - L14-30P, 125/250V, 60 Amp Rated Plug Connector on One End - IEC 60309 Waterproof Plug, 60 Amps 3P+E, 480V 3PH 3P4W, Pin & Sleeve, IP67 on the Other End, Outdoor Rated

Product ID: 334830



Image: EXC-25-10.4-60A-L14.30P-XLE-PA-IP67-309.NA-3PH-60A-480V-3P4W-P

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXC-25-10.4-60A-L14.30P-XLE-PA-IP67-309.NA-3PH-60A-480V-3P4W-P - 25' Extension Cord
1st End Cord Cap: L14-30P (Male)
2nd End Cord Cap: IEC 60309 Waterproof Plug, 60 Amps 3P+E, 480V 3PH 3P4W, Pin & Sleeve, IP67 (Male)
Voltage Rating: 125/250V
Max Amp Rating: 60A
Cable Type: 10/4 SOOW
Cable Length: 25'
Weight

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EXC-25-10.4-60A-L14.30P-XLE-PA-IP67-309.NA-3PH-60A-480V-3P4W-P 25 foot 10/4 SOOW twist lock extension power cord is designed for heady duty and outdoor applications. This rugged extension cord is constructed of 10-gauge wire, equipped with a 60-amp rated L14-30 maletwist lock cord cap on one end, and an IEC 60309 Waterproof Plug, 60 Amps 3P+E, 480V 3PH 3P4W, Pin & Sleeve, IP67 on the other end and allows operators to extend power to equipment when stationary outlets are not readily available.

The EXC-25-10.4-60A-L14.30P-XLE-PA-IP67-309.NA-3PH-60A-480V-3P4W-P power distribution system provides a safe and effective way for operators to extend 125/250V and power a variety of devices for plant maintenance, power generators, construction and other temporary applications. 25 feet of chemical and abrasion resistant flexible SOOW cord 10/4 SOOW cable is terminated in male NEMA L14-30, 60 amp rated, outdoor approved twist lock cord cap on one end and IEC 60309 Waterproof Plug, 60 Amps 3P+E, 480V 3PH 3P4W, Pin & Sleeve, IP67 on the other end

Applications:
This power distribution system is ideal for indoor or outdoor use and applications including but not limited to, generators, construction sites, plant maintenance, plant turnarounds, shows, exhibits, industrial equipment, uninterruptible power supplies (UPS battery backups), stage equipment, and shipyard operations. These industrial extensor cords are popularly used in applications where external power sources are often necessary. We also offer class rated extension cords for use within explosion proof and hazardous location environments.

Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs