

**MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ**

**5 KVA Isolation Transformer - 400V Delta Primary - 220Y/127 Wye-N Secondary - NEMA 3R - Fully Potted / Encapsulated**

**Product ID: 339772**



Image: MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ

**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

**MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ Fully Potted Isolation Transformer**

**Phase:** Three Phase  
**Frequency:** 50 Hz  
**Capacity:** 5 kVA  
**Primary Voltage:** 400V Delta  
**Taps:** TBD  
**Secondary Voltage:** 220Y/127 Wye-N  
**Vector Group:** Dyn11  
**Winding Material:** Aluminum  
**Insulation:** 220°C  
**Temperature Rise:** 150°C  
**Impedance (Std):** -  
**Seismic:** Yes  
**Sound Level:** Meets NEMA ST-20 Standards  
**Primary Termination:** -  
**Secondary Termination:** -  
**Enclosure Material:** NEMA Type 3R Heavy Duty - Resin Encapsulated  
**Finish:** ANSI 61 Grey Finish  
**Dimensions:** 16"L x 14"W x 17"H  
**Weight:** 125 Lbs  
**Mounting:** Wall Mount

**Ratings**

NRTL Listed for United States and Canada  
ANN Cooling  
NEMA 3R Rated  
Fully Potted / Encapsulated  
Isolation Transformer

**Special Orders - Special Requirements**

Contact us for special requirements  
**Toll Free:** 1-800-369-6671  
**Intl:** 1-903-270-1187  
**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)

**The MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ 5 kVA 3 Phase Energy Efficient Fully Potted Isolation Transformer from Larson Electronics is powerful, reliable and designed**

with the environment in mind. Suitable for both indoor and outdoor applications, the MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ provides increased reliability and protection against critical equipment failures. The lower operating costs, lower heat emissions and lower cost of ownership make this transformer ideal for a wide range of applications and businesses.

**\*PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR SUBSTATIONS\***

**Transformer Features:** With a transformer rating of 5 KVA, the MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ fully potted isolation transformer is a three phase unit with a primary voltage of 400V Delta. It also provides a secondary voltage of 220Y/127 Wye-N. Featuring robust construction, this unit's cores are manufactured with non-aging, cold-rolled silicon steel laminations using state of the art technology.

This fully potted unit boasts a low cost of ownership and is highly energy efficient. Lower heat emissions mean less cooling is needed as well. The standard NEMA Type 3R enclosure makes the unit suitable for both indoor and outdoor applications and it can be wall mounted. The unit also features 220°C insulation with a 150°C temperature rise.

**Benefits:** The MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ isolation transformer offers many benefits to the consumer. Precision cut aluminum transformer winding material helps to improve performance. The close tolerances used during manufacturing also eliminate burrs, which hinder performance. Each core is specially coated to prevent the ingress of moisture and is electrically balanced to minimize axial forces during short circuit situations.

This fully potted isolation transformer provides owners with significant energy savings as well as offering environmental benefits. Higher efficiency not only extends the life of the transformer, but also turns into cost savings for owners in the form of lower energy bills and decreased cost of ownership. Integrated wall brackets make installation fast and easy and the offset outward facing wall installation holes allow for easy power tool access.

**Safety:** The MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ is an encapsulated isolation transformer which means that it provides operators with an increased level of protection against electric shock. An isolation transformer can also suppress electrical noise in sensitive devices and transfer power between two circuits which must not be connected. The MT-ISX-FP-3P-400D-5KVA-220Y.127-N3R-50HZ achieves these safety features by separating or "isolating" the powered device from the power source and insulation between the primary and secondary power sources.

**Applications:** General purposes.

Larson Electronics is a manufacturer and as such can build stationary and portable transformer systems to your specifications. Although we carry several models of power distribution transformer systems, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com) to discuss your specific requirements.


Larson Electronics LLC  
9419 E US HWY 175, Kemp, TX 75143  
Phone: 800.369.6671



[www.LarsonElectronics.com](http://www.LarsonElectronics.com)  
Email: [sales@LarsonElectronics.com](mailto:sales@LarsonElectronics.com)  
Fax: 903.765.7664











---

## Frequently Asked Questions (FAQ)

There are no Faqs