Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EXPCB-3P-600V-200A

Explosion Proof Circuit Breaker - 3P+N+G configuration - 600V Max - 200A Rating - C1D1&2 - C2D1&2 - Class 3

Product ID: 339932



Image: EXPCB-3P-600V-200A

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXPCB-3P-600V-200A Explosion Proof 3P+N+G configuration Circuit Breaker

Type: 3-Pole Circuit Breaker
Dimensions: 28.28"L x 16.28"W x 12.63"H
Weight: 70 lbs
Max Voltage: 600V
Frequency: 50 Hz
Amp Rating: 200 Amps
Interrupting Capacity: 35kA
Poles: 3-Pole
Conduit Openings: (2) 3" NPT (North), (2) 3" NPT (South) (1) 0.5" NPT (south)
Hub Qty: 5
Neutral: Yes
Ground: Yes

Ratings/Approvals

Class I Divisions 1 & 2 Groups B, C & D
Class I, Zones 1 & 2, Groups IIB+H2, IIA
Class II, Divisions 1 & 2, Groups E, F & G
Class III, Divisions 1 & 2
NEMA 3, 4, 4x, 7(B,C,D), 9(E,F,G)
UL 1203
C22.2 NO. 30-M1986

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The EXPCB-3P-600V-200A from Larson Electronics is an Explosion Proof 3 Pole Circuit Breaker with 3P+N+G configuration that is rated for Class I Divisions 1 & 2 Groups B, C & D, Class I, Zones 1 & 2, Groups IIB+H2, IIA, Class II, Divisions 1 & 2, Groups E, F & G, Class III, Divisions 1 & 2 hazardous areas. The EXPCB-3P-600V-200A is constructed from copper free cast aluminum, has a max voltage of 600V, an amp rating of 200 amps

and is NEMA 3, 4, 4x, 7(B,C,D), 9(E,F,G) rated.

This lightweight, corrosion resistant circuit breaker from Larson Electronics features robust construction from durable materials including cast aluminum and stainless steel hardware. This explosion proof circuit breaker features ductile mounting lugs that are able to adjust to irregular mounting surfaces without any damage to the circuit breaker itself. The breaker handle has both "off" and "on" positions and can be secured with up to three padlocks. The handle is spring loaded to prevent damage to the breaker toggle and provides positive handle alignment along with an "O" ring seal to prevent the ingress of moisture via the handle.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs