Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

MT-BAT-UPS-BSM-192V-5.1AH-M1

192V 5.1Ah UPS Replacement Battery Cartridge – 0.98 kWh

Product ID: 339946



Image: MT-BAT-UPS-BSM-192V-5.1AH-M1

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

MT-BAT-UPS-BSM-192V-5.1AH-M1 UPS Battery

Unit Type: Replacement battery cartridge for UPS systems
Dimensions: 23.50" L x 7.76" W x 4.80" H
Weight: Approx. 68 lbs
Nominal Voltage: 192V DC
Total Energy Capacity: 0.98 kWh (192V × 5.1Ah)
Battery Type: Sealed Lead Acid (SLA), Maintenance-Free
Battery Configuration: Enclosed Battery Cartridge
Number of Batteries: 2
Number of Cables: 1
Battery Capacity: 5.1Ah
Chemistry: Valve Regulated Lead Acid (VRLA)
Operating Temperature: 0°C to 40°C (32°F to 104°F)
Storage Temperature: -15°C to 45°C (5°F to 113°F)
Relative Humidity: 0–95% non-condensing
Operating Altitude: 0–10,000 ft
Storage Altitude: 0–50,000 ft
Mounting: Internal UPS Battery Compartment
All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

Ratings/Approvals

CE Certified
UL Recognized Components
RoHS Compliant
REACh Declaration
Warranty: 2-Year Limited Warranty

Special Orders - Special Requirements

Contact us for special requirements
Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com

The MT-BAT-UPS-BSM-192V-5.1AH-M1 is a 192VDC sealed lead-acid replacement

battery cartridge designed to restore and extend backup runtime for compatible uninterruptible power supply (UPS) systems.

This enclosed battery cartridge contains two maintenance-free VRLA battery modules with a 192V DC nominal output, 5.1Ah capacity, and approximately 0.98 kWh of stored energy. The unit delivers reliable standby power for mission-critical IT, industrial, and network equipment during utility power interruptions and includes the required connectors for straightforward battery replacement in compatible UPS systems.

Mounting: The MT-BAT-UPS-BSM-192V-5.1AH-M1 is designed for internal installation within a compatible UPS battery compartment.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs