Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

UTP-W-FIR-C1-65-PNTA-SL

65' Utility Pole - Class 1 - Penta Treatment, Douglas Fir - Starlock

Product ID: 342327



Image: UTP-W-FIR-C1-65-PNTA-SL

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

UTP-W-FIR-C1-65-PNTA-SL - 65` Utility Pole
Pole Height: 65'
Weight: -
Capacity: -
Materials: Douglas Fir Wood
Treatment: Pentachlorophenol (Penta)
Class: 1
Groundline Distance from Butt: 8.5'
Minimum Circumference at 6' from Butt: 49.5"
Minimum Circumference at Top: 27"
Mounting: Ground Mount
Frame: -
Starlock: Included
Shipping: Common Freight
Shipping Dimensions: -
Shipping Weight: -
Options: Length- Mounting-Fixtures/ Call Us for Special Requirements

Quick Summary
65' Wood Pole
Class 1

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics UTP-W-FIR-C1-65-PNTA-SL Utility Pole provides a safe and effective way for operators to elevate equipment up to 65 feet. This Class 1 Douglas Fir wood pole is designed for permanent mount installations. The pole is treated with

Pentachlorophenol (Penta) chemical preservative for durability.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO LIGHT MASTS OR LIGHT TOWERS

The UTP-W-FIR-C1-65-PNTA-SL enables secure deployment of equipment for utility applications. The wood pole stands at 65' and has an 8.5' groundline distance from butt. The minimum circumference at 6' from butt is 49.5". The minimum circumference at the top of the pole is 27". Pentachlorophenol (Penta) treatment adds durability during long-term use, preventing deterioration from decay, insects and fungi. This utility pole is rated Class 1.

Suggested Applications: Utilities, lighting, construction sites and security camera deployment.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs