

RNT-EPL-PM-1X30LED-120X12I-100

***RENTAL* 30W Explosion Proof LED Light - Inline Transformer Steps Down to 12V - C1 Groups C,D**

Product ID: 47362



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

RNT-EPL-PM-1X30LED-120X12I-100

UL Listing: United States/Canada

Lamp Type: PAR38 LED

Dimensions: 12"-Diam Base 16.75"-H 13.9"-Depth

Weight: 28 Lbs

Total Watts: 30

Voltage: 90-305V AC 50/60Hz or 127-431V DC Stepped Down to 12V DC Via Transformer

Lamp Lumens: 2500

LUX: @ Lens-53,500 @ 1 Meter-1,950

Color Rendering Index: >84

Mounting: Aluminum Circular Pedestal Base

Wiring: 100 feet SOOW Cord w/ General Area Cord Cap

Cord Cap Options: 5-15 Straight, 6-15 Straight, L5-15 Twist, L6-15 Twist, UK BS1363, Intl. Schuko or Pigtail

Operating Temp Range: -20°C to +85°C

LED Lamp Life: 50,000 Hours

LED Color Temp: 5500K

Materials: Aluminum Housing - Polycarbonate Lens

Rental Type: Monthly, Weekly, Daily

Warranty: NO - RENTAL

Rentals: In an effort to cut back on contracts and various other paper work, Larson Electronics processes rentals like orders until the product is returned. This means, we will charge the customer for the product total and credit back the difference once the fixture is returned. Weekly and Monthly terms are available. Customer must pay shipping to and from the destination. Please contact us at (903) 498-3363 for further information if required.

Rental Prices for the RNT-RNT-HAL-2X400MCE:

UL and CSA Certified

Class I Groups C and D

UL Standard: UL 1598, UL 844

UL Listed: E10794

500 hour salt-spray tested. Per MIL-F-8115C

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-214-616-6180

E-mail: sales@larsonelectronics.com


Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Monthly...\$418.10 USD

Weekly...\$250.86 USD



F
E
D
C
B
A

F
E
D
C
B
A

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
Magnalight.com. ANY REPRODUCTION
IN PART OR AS A WHOLE WITHOUT THE
WRITTEN PERMISSION OF IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Magnalight.com	
		DIMENSIONS ARE IN INCHES		DRAWN	6/09	TITLE: EPL-PM-1X30LED-120X12I-100	
		TOLERANCES:		CHECKED			
		FRACTIONAL ±		ENG APPR.			
		ANGULAR: MATCH ± BEND ±		MFG APPR.			
		TWO PLACE DECIMAL ±		Q.A.		SIZE PART NO. REV C A	
		THREE PLACE DECIMAL ±		COMMENTS:			
		INTERPRET GEOMETRIC TOLERANCING PER MATERIAL				SCALE: 1:4 WEIGHT: SHEET 1 OF 1	
		FINISH					
NEXT ASSY	USED ON	APPLICATION	DO NOT SCALE DRAWING				

Frequently Asked Questions (FAQ)