

LEDCR-32

LED Flood Light - Compact Rectangular Design - 0.5 Amp Draw - 12 VDC - 500 Lumens


Product ID: 47459



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Small yet powerful LED Flood light. Can be used to illuminate wide areas with pure, white LED light. Produces 6 Watts while drawing only .5 amps. The flood beam angle of emission is equal to 120 degrees. This means that a wider, softer area of illumination will be emitted closer to the fixture rather than several hundred feet away such as it's spot counterparts.

This LED fixture is IP68 rated and has a life span expectancy of 50,000 hours. This means, when ran all day, every day, it would take almost 6 full years before a problem with the LEDs would occur. The LED flood light is available in either a stud mount or a flush, flat mount. This LED light operates on 12V DC.



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MAGNALIGHT.COM. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION IS
PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	Magnalight.com		
		DIMENSIONS ARE IN INCHES	DRAWN			TITLE: LEDCR-32		
		TOLERANCES:	CHECKED					
		FRACTIONAL ±	ENG APPR.					
		ANGULAR: MACH ± BEND ±	MFG APPR.					
		TWO PLACE DECIMAL ±	Q.A.					
		THREE PLACE DECIMAL ±	COMMENTS:			SIZE DWG. NO. REV B		
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL						
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:2 WEIGHT: SHEET 1 OF 1		



Frequently Asked Questions (FAQ)