

HID-22-SL-REM

Metal Halide Light w/ Remote Ballast - 1000 Watt HID - Flood Beam - 19" OD - NEMA 3R Ballast Box

Product ID: 48727



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HID-22-SL-REM Metal Halide Light Fixture
Lamp Type: BT56 1000W Metal Halide (bulb included)
Weight: 50 lb
Watts: 1000
Total Lumens: 110,000
Voltage: Quad Tap - 120V/208V/240V/277V, 50/60 Hz or 480 V
Lighting Configuration: Flood Pattern
Lens: Tempered Glass
Lifespan: 10,000 Hours
Mounting: Zinc Trunnion Mount Bracket
Wiring: 20' SOOW between ballast and light, 6' SOOW Line-in w/ flying leads
Dimensions: Light: 22"x19", Ballast Box: 12"x12"x6"

Approvals/Ratings
Rated for Outdoor Use
NEMA 3R

Special Orders - Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-214-616-6180
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

The HID-22-SL-REM 1000 Watt Metal Halide Light from Larson Electronics provides operators with the intensity and good color rendering of a metal halide lamp in a unit that is safe for ground mounting and use in wet areas. The unit comes standard with a remote ballast, this means that the HID unit can be mounted at a different location than it's ballast.

The HID-22-SL-REM 1000 watt metal halide light produces exceptional illumination using a 19" aluminum reflector housing that spreads a powerful flood pattern of high quality light over large areas. This fixture is equipped with a 1000 watt metal halide lamp which produces the intense illumination and good color rendering normally associated with these lamps. The metal halide lamp is secured within a separate die cast housing for strength and durability while a clear tempered glass lens provides protection for the lamp. The unit is standard with a remote ballast that can be mounted up to 20 feet from the HID unit (wired). U.L. wet area certification and the high power

flood beam produced by this lamp makes it ideal for applications requiring illumination of large scale areas that may be subject to wet conditions.



[Click Photo to Enlarge](#)



[Click Photo to Enlarge](#)



[Click Photo to Enlarge](#)

The 19" reflector on this lamp is constructed of aluminum with a clear tempered glass lens which is hinged onto the reflector and secured into place with a four point latching system. The lamp socket is die cast aluminum and separate from the reflector for added durability. The reflector and lamp socket assembly are secured together as one unit which makes installation simple and straightforward. Vertical and horizontal aiming guides are included in this lamps design which makes aiming this lamp during operation easier and safer, protecting users from the potential burns associated with handling operating metal halide lamp fixtures. A stainless steel hinge provides durable adjustability and corrosion resistance. This lamp comes prewired with a twenty foot cord and is U.L. rated for wet areas and ground mounting. The ballast is enclosed within a NEMA 3R box and has a ten foot whip for line-in power.

Suggested Applications: Stadiums, Speedways, Storage Areas, Public Parks, Mobile Lighting

Specifications:

- Powder Coated for Corrosion Resistance
- Finger Latch for Easy Bulb Access
- 19" tempered glass w/aluminum reflector
- Vertical and Horizontal Aim
- UL 1572
- Heavy Duty 6' Power Cord
- Die-Cast Aluminum Housing
- NEMA 3R Enclosure for remote mount ballast









Frequently Asked Questions (FAQ)