

EXPCRL-50

EXPCRL-50 - Explosion Proof Cord Reel with 50 Foot of 16/3 Cord

Product ID: 49733



Image: EXPCRL-50

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXPCRL-50-HR Explosion Proof Cord Reel

Standard Features:

16/3 SOOW cable (on all reels)
Spring activated ratchet
4-roller adjustable cable guide and ball
Built to UL 508 table 36.1/NEC Standards
Indoor or Outdoor Use
35 amp, 1-4 conductors 600 Volt, 5-12 conductors 250 Volt
Rugged fabricated steel and cast aluminum slip ring enclosure
Gray epoxy finish on all steel parts
6' feeder cord on fixed end

This fixture is being remanufactured with cord reel under file number E193373.

Safety Rating

Class I Division 1, Groups C&D
Class II Division 1, Groups E,F, & G
Class III Division 1
Class 1 Zone 1: AEx d IIB, EX d IIB
Conforms to NEMA 9 and NEMA 4 (IP56) standards

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

Made in the USA

The EXPCRL-50-HR is an Explosion Proof Reel providing Class I, Division 1 UL rating, as well as a Class II, Division II. This reel is ideal for petroleum facilities, waste water treatment plants, grain storage and handling silos, paint booths, underground mines, chemical plants, and much more.

*****PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO THIS HAZARDOUS LOCATION LIGHT FIXTURE*****

The unit includes 50 feet of SOOW Cord with a 14" flange diameter and is ready to install a portable explosion proof fixture to the end. These reels are built with modular components, coupled with a spark proof ratchet and hazardous location slip ring housing. Larson Electronics offers a wide variety of lighting solutions to accommodate this reel. For more information on these lights, please contact us at 1-800-367-6671.




[Click to Enlarge](#)



[Click to Enlarge](#)



[Click to Enlarge](#)








Larson Electronics LLC

www.LarsonElectronics.com


9419 E US HWY 175, Kemp, TX 75143 - P: (800) 369-6671 - F: (903) 498-3364 - E: sales@magnalight.com




Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671




www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664











Frequently Asked Questions (FAQ)

There are no Faqs