Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXPRA-05

Explosion Proof Right Angle Light - 6 AA Batteries - Clip On Carry - MADE IN USA - Class 1 Div 2

Product ID: 50815



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXPRA-05 Explosion Proof Angle Light
Safety Listing: UL
Dimensions: L- 2.5" (6.4 cm) W- 3.0"(7.6 cm) Height- 7.0". (17.8 cm)
Total Watts: 4 watts
Battery: 6 AA
Mounting: Angle, Clip Or Ring Attach
Runtime: 5.5 Hours
Lamp Type:: LED
Weight: 1 lbs (2.2 kg)
Candlepower 60,000
Click here for Spanish Spec Sheet of Explosion Proof Pocket Light
Click here to view the Explosion Proof Light Design Description

Approvals
Class 1, Division 2 Groups A, B, C, D
Class II Div 2 Group F, G
UL, safety approved
Operating Temp T2C
Waterproof

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-214-616-6180
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EXPRA-05 explosion proof right angle clip light can be used as either an inspection light or a general area work light and is waterproof and Class 1 Division 2 Group A, B, C, D approved. This light operates with 6 AA batteries and runtime is approximately 5.5 hours.
The reflector configuration on this explosion proof angle light produces a beam approximately 200` in length by 30` in width. This angle light is designed to be attached via ring or spring clip to vests, coats or helmets, allowing operators hands free operation. This explosion proof angle flashlight contains a single LED that has a 50,000 hour operational life, produces 60,000 candlepower.
Power for this light is provided by 6 AA batteries producing a runtime of 5.5 hours. This explosion proof angle light is waterproof and 30 foot drop survival tested. The

housing, switch and tube on this angle light are constructed of high strength nylon, and the lens is impact and scratch resistant polycarbonate.



Dark street with street lamp 475 feet away

Click Photos to Enlarge



EXPRA-05 reaching 190` easily.

Click Photos to Enlarge









Frequently Asked Questions (FAQ)