

EPL-90ELB

Explosion Proof Conduit Elbow - Class I, II, III - 90 Degrees - Iron

Product ID: 64362



Image: EPL-90ELB

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-90ELB Explosion Proof Conduit Elbow

Listing: United States, Canada

Dimensions: 2.62"D x 1.46"W x 1.84"H

Weight: -

Bend: 90°

Materials: Feraloy Iron Alloy/Ductile Iron

Finish: Electrogalvanized Aluminum Acrylic Painted

Mount: Conduit

Configurations: Male-Male, Male-Female or Female-Female

Hub Qty: (2)

Hub Sizes: 1/2" and 3/4"

Color: Metallic

Ratings

Class I, Divisions 1 & 2

Class II, Divisions 1 & 2

Class III

Dustproof

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-765-7664

E-mail: sales@larsonelectronics.com


The Larson Electronics EPL-90ELB Explosion Proof Conduit Elbow ensures reliable conduit connections in flammable, Class-rated environments. This 90-degree elbow is made of iron and finished in electrogalvanized aluminum acrylic paint.

The EPL-90ELB facilitates tight conduit connections in Class I, Divisions 1 & 2; Class II, Divisions 1 & 2 and Class III rated combustible sites. This conduit elbow features a 90-degree bend. Constructed of feraloy iron alloy/ductile iron, the dustproof accessory is protected by an electrogalvanized aluminum acrylic painted finish for durability. This unit is offered in the following configurations: male-male, male-female or female-female.

Hubs: The EPL-90ELB contains two hubs and is offered in 1/2" or 3/4" sizes.

Mounting: This explosion proof conduit elbow can be secured along conduit systems and connections.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
LARSON ELECTRONICS LLC. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
LARSON ELECTRONICS LLC IS
PROHIBITED.



PART NUMBER:

EPL-90ELB-MF-12

SIZE

A

REV

1

DIMENSIONS ARE IN INCHES

DO NOT SCALE DRAWING

DATE

3/17/2026

SCALE: NTS

SHEET 1 OF 1







Frequently Asked Questions (FAQ)

There are no Faqs