



	8	7	6	5	4	3	2	1
	REV	DESCRIPTION						DATE
	A	PRODUCTION RELEASE						9-29-2020
LM-SYM-XX-CTRL-R1 								
	8	7	6	5	4	3	2	1


LM-SYM-XX-CTRL-R1





 LARSON ELECTRONICS 9419 E US HWY 175, KEMP, TX 75143	TITLE LM-SYM-XX-CTRL-R1		
	DRAWN BY P.CRYER	DATE 09-29-2020	REV A
	CHECKED BY K.NGUYEN	SHEET # 1 OF 5	DRAWING # 101





 LARSON ELECTRONICS 9419 E US HWY 175, KEMP, TX 75143	TITLE LM-SYM-XX-CTRL-R1		
	DRAWN BY P.CRYER	DATE 09-29-2020	REV A
	CHECKED BY K.NGUYEN	SHEET # 3 OF 5	DRAWING # 103

TAGS	QTY	CATALOG	DESCRIPTION
J1-101.10 J1-101.18 J2-102.02 J2-102.12	4	7231-17181-9730100	BULKHEAD CONNECTOR - M12 8 PIN FEMALE TO PIGTAIL - 24AWG CONDUCTORS
J1-101.10A J1-101.18A J2-102.02A J2-102.12A	4	7000-17321-0000000	FIELD WIREABLE M12 8 PIN FEMALE AXIAL CONNECTOR
P1-101.10 P1-101.18 P2-102.02 P2-102.12	4	7000-17301-0000000	FIELD WIREABLE M12 BARREL 8 PIN MALE AXIAL CONNECTOR
P1-101.04	1	UNV00006731	PLUG-STRAIGHT BLADE - 15A - NEMA 5-15
PB1-101.04	1	GCX1131	22MM TWIST TO RELEASE E-STOP SWITCH-1 N.C.
PLC104.04	1	P1-08ND3	
PLC104.34	1	P1-08TRS	
PLC103.34	1	P1-16ND3	
PLC103.04	1	P1-540	
PW1-101.05	1	HDR-60-24	85-264VAC TO 24VDC AC/DC CONVERTER - 60W - DIN RAIL MOUNT
TG4-104.06	1	UNV00015512	4 POSITION SELECTOR SWITCH - MAINTIANED - 35MM
TB1	2	UNV00013976	24P CUT TO LENGTH JUMPER FOR 4 HOLE BLOCKS
TB1	1	UNV00013989	2 POLE GROUNDING TERMINAL BLOCK
TB1	4	UNV00013975	FEED THROUGH 4 POINT TERMINAL BLOCK-BLUE-SCREWLESS
TB1	8	UNV00013974	FEED THROUGH 4 POINT TERMINAL BLOCK-GRAY-SCREWLESS
CBL1-101.04	1	UNV00007524	CORD 16/3 SOOW UL 90C BLK
CBL1-101.10 CBL1-101.18 CBL2-102.02 CBL2-102.12	4	Q7145-1	CORD 22/8 PVC INSULATION MULTI CONDUCTOR CONTROL CABLE

 LARSON ELECTRONICS 9419 E US HWY 175, KEMP, TX 75143	TITLE LM-SYM-XX-CTRL-R1		
	DRAWN BY P.CRYER	DATE 09-29-2020	REV A
	CHECKED BY K.NGUYEN	SHEET # 5 OF 5	DRAWING # 105